

Papers by Joey Huston

July 22, 2010

1. Hung-Liang Lai, M. Guzzi, Joey Huston, Zhao Li, Pavel M. Nadolsky, Jon Pumplin, C.-P. Yuan, New parton distributions for collider physics, [arXiv:1007.2241] MSUHEP-100707 (Jul 2010).
2. T. Aaltonen *et al.* [CDF Collaboration], Study of multi-muon events produced in $p\bar{p}$ interactions at $\sqrt{s} = 1.96$ -TeV, Eur.Phys.J.C68:109-118,2010,.
3. P. Adragna *et al.*, Measurement of pion and proton response and longitudinal shower profiles up to 20 nuclear interaction lengths with the ATLAS tile calorimeter , Nucl.Instrum.Meth.A615:158-181,2010.
4. K. Anderson, T. Del Prete, E. Fullana, J. Huston, C. Roda, R. Stanek, TileCal: The hadronic section of the central ATLAS calorimeter Int.J.Mod.Phys.A25:1981-2003,2010,.
5. T. Aaltonen *et al.* [CDF Collaboration], Measurement of $d\sigma/dy$ of Drell-Yan e^+e^- pairs in the Z Mass Region from $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV [arXiv:0908.3914] FERMILAB-PUB-10-057-E (Mar 2010).
6. T. Aaltonen *et al.* [CDF Collaboration], Search for the Production of Scalar Bottom Quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV , [arXiv:1005.3600] FERMILAB-PUB-10-140-E (May 2010).
7. T. Aaltonen *et al.* [CDF Collaboration], Combined Tevatron upper limit on $gg \rightarrow H \rightarrow W^+W^-$ and constraints on the Higgs boson mass in fourth-generation fermion models , [arXiv:1005.3216] FERMILAB-PUB-10-125-E (May 2010).
8. [ATLAS Collaboration, The ATLAS Inner Detector commissioning and calibration , [arXiv:1004.5293] (Apr 2010).
9. T. Aaltonen *et al.* [CDF Collaboration], Search for WW and WZ resonances decaying to electron, missing E_T , and two jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV , Phys.Rev.Lett.104:241801,2010, [arXiv:1004.4946].
10. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the B^- lifetime using a simulation free approach for trigger bias correction , [arXiv:1004.4855] FERMILAB-PUB-10-095-E (Apr 2010).
11. Hung-Liang Lai, Joey Huston, Zhao Li, Pavel Nadolsky, Jon Pumplin, Daniel Stump, C.-P. Yuan, Uncertainty induced by QCD coupling in the CTEQ-TEA global analysis of parton densities [arXiv:1004.4624] MSUHEP-100421 (Apr 2010).
12. T. Aaltonen *et al.* [CDF Collaboration], First Measurement of the Ratio $\sigma(tt)/\sigma(Z/\gamma^* \rightarrow ll)$ and Precise Extraction of the $t\bar{t}$ Cross Section , Phys.Rev.Lett.105:012001,2010, [arXiv:1004.3224].
13. T. Aaltonen *et al.* [CDF Collaboration], Search for R-parity Violating Decays of τ *neutrinos* $\tau \rightarrow e\mu, \mu\tau$, and $e\tau$ Pairs in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV , [arXiv:1004.3042] FERMILAB-PUB-10-077-E (Apr 2010).
14. T. Aaltonen *et al.* [CDF Collaboration], Observation of Single Top Quark Production and Measurement of $-\text{Vtb}-$ with CDF , [arXiv:1004.1181] FERMILAB-PUB-10-063-E (Apr 2010).
15. T. Aaltonen *et al.* [CDF Collaboration], Measurement of Z gamma Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, [arXiv:1004.1140] FERMILAB-PUB-10-073-E (Apr 2010).

16. T. Aaltonen et al. [CDF Collaboration], Studying the Underlying Event in Drell-Yan and High Transverse Momentum Jet Production at the Tevatron , [arXiv:1003.3146] FERMILAB-PUB-10-053-E (Mar 2010).
17. [ATLAS Collaboration], Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC Phys.Lett.B688:21-42,2010,. [arXiv:1003.3124].
18. J.M. Butterworth *et al.*, The Tools and Monte Carlo working group Summary Report , [arXiv:1003.1643] (Mar 2010).
19. [SM and NLO Multileg Working Group], The SM and NLO Multileg Working Group: Summary report , [arXiv:1003.1241] (Mar 2010).
20. T. Aaltonen et al. [CDF Collaboration], Measurement of W-Boson Polarization in Top-quark Decay in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV , [arXiv:1003.0224] FERMILAB-PUB-10-041-E (Mar 2010).
21. T. Aaltonen et al. [CDF Collaboration], Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV using Soft Electron b-Tagging , Phys.Rev.D81:092002,2010,. [arXiv:1002.3783].
22. T. Aaltonen et al. [CDF Collaboration], Measurement of the Top Pair Production Cross Section in the Dilepton Decay Channel in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV , [arXiv:1002.2919] FERMILAB-PUB-10-032-E (Feb 2010).
23. T. Aaltonen et al. [CDF Collaboration], Measurement of the Top Quark Mass and $p\bar{p} \rightarrow t\bar{t}$ Cross Section in the All-Hadronic Mode with the CDFII Detector , Phys.Rev.D81:052011,2010,. [arXiv:1002.0365].
24. T. Aaltonen et al. [CDF Collaboration], Search for single top quark production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV in the missing transverse energy plus jets topology, Phys.Rev.D81:072003,2010, [arXiv:1001.4577].
25. T. Aaltonen et al. [CDF Collaboration], Inclusive Search for Standard Model Higgs Boson Production in the WW Decay Channel using the CDF II Detector , Phys.Rev.Lett.104:061803,2010, [arXiv:1001.4468].
26. T. Aaltonen et al. [CDF Collaboration], Combination of Tevatron searches for the standard model Higgs boson in the W+W- decay mode , Phys.Rev.Lett.104:061802,2010,. [arXiv:1001.4162].
27. J. Huston, LO, NLO, LO* and jet algorithms , [arXiv:1001.2581] (Jan 2010).
28. T. Binoth *et al.*, A Proposal for a standard interface between Monte Carlo tools and one-loop programs , Comput.Phys.Commun.181:1612-1622,2010, [arXiv:1001.1307]
29. T. Aaltonen et al. [CDF Collaboration], Search for New Physics with a Dijet plus Missing Transverse Energy Signature in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, [arXiv:0912.4691] FERMILAB-PUB-09-635-E (Dec 2009).
30. T. Aaltonen et al. [CDF Collaboration], Measurement of the W+ W- Production Cross Section and Search for Anomalous WW gamma and WWZ Couplings in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, Phys.Rev.Lett.104:201801,2010, [arXiv:0912.4500].
31. T. Aaltonen et al. [CDF Collaboration], Measurement of the Λ_b Lifetime in $\Lambda_b \rightarrow \Lambda_c^+ \pi^-$ Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV , Phys.Rev.Lett.104:102002,2010, [arXiv:0912.3566].
32. T. Aaltonen et al. [CDF Collaboration], A Study of the associated production of photons and b-quark jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$, Phys.Rev.D81:052006,2010, [arXiv:0912.3453].
33. T. Aaltonen et al. [CDF Collaboration], Search for Technicolor Particles Produced in Association with a W Boson at CDF , Phys.Rev.Lett.104:111802,2010, [arXiv:0912.2059].
34. T. Aaltonen et al. [CDF Collaboration], Search for Pair Production of Supersymmetric Top Quarks in Dilepton Events from $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV , Phys.Rev.Lett.104:251801,2010, [arXiv:0912.1308].
35. T. Aaltonen et al. [CDF Collaboration], Search for New Bottomlike Quark Pair Decays $Q\bar{Q} \rightarrow (tW^{+-})(\bar{t}W^{+-})$ in Same-Charge Dilepton Events , Phys.Rev.Lett.104:091801,2010, [arXiv:0912.1057].

36. T. Aaltonen et al. [CDF Collaboration], Measurement of the WW+WZ Production Cross Section Using the Lepton+Jets Final State at CDF II , Phys.Rev.Lett.104:101801,2010,[arXiv:0911.4449].
37. T. Aaltonen et al. [CDF Collaboration], A Search for the Higgs Boson Using Neural Networks in Events with Missing Energy and b-quark Jets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.104:141801, 2010, [arXiv:0911.3935].
38. T. Aaltonen et al. [CDF Collaboration], Search for New Color-Octet Vector Particle Decaying to $t\bar{t}$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Lett.B691:183-190,2010,[arXiv:0911.3112].
39. T. Aaltonen et al. [CDF Collaboration], Top Quark Mass Measurement using mT2 in the Dilepton Channel at CDF , Phys.Rev.D81:031102,2010,[arXiv:0911.2956].
40. T. Aaltonen et al. [CDF Collaboration], Measurements of branching fraction ratios and CP asymmetries in $B^{+-} \rightarrow D(CP)K^{+-}$ decays in hadron collisions , Phys.Rev.D81:031105,2010, [arXiv:0911.0425].
41. T. Aaltonen et al. [CDF Collaboration], Search for Anomalous Production of Events with Two Photons and Additional Energetic Objects at CDF , [arXiv:0910.5170] FERMILAB-PUB-09-535-E (Oct 2009).
42. J. Huston et al., Parton Distributions for Event Generators , JHEP 1004:035,2010,. [arXiv:0910.4183].
43. T. Aaltonen et al. [CDF Collaboration], Measurement of the Inclusive Isolated Prompt Photon Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV using the CDF Detector , Phys.Rev.D80:111106,2009, [arXiv:0910.3623].
44. T. Aaltonen et al. [CDF Collaboration], Search for Supersymmetry with Gauge-Mediated Breaking in Diphoton Events with Missing Transverse Energy at CDF II , Phys.Rev.Lett.104:011801,2010, [arXiv:0910.3606].
45. T. Aaltonen et al. [CDF Collaboration], Measurements of the top-quark mass using charged particle tracking , Phys.Rev.D81:032002,2010, [arXiv:0910.0969].
46. T. Aaltonen et al. [CDF Collaboration], First Measurement of the b-jet Cross Section in Events with a W Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.104:131801,2010,[arXiv:0909.1505].
47. T. Aaltonen et al. [CDF Collaboration], Measurement of $d\sigma/dy$ of Drell-Yan e^+e^- pairs in the Z Mass Region from $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , FERMILAB-PUB-09-402-E (Aug 2009).
48. T. Aaltonen et al. [CDF Collaboration], A Search for the Higgs Boson Produced in Association with $Z \rightarrow l^+l^-$ Using the Matrix Element Method at CDF II, Phys.Rev.D80:071101,2009,[arXiv:0908.3534].
49. T. Aaltonen et al. [CDF Collaboration], Search for charged Higgs bosons in decays of top quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV , Phys.Rev.Lett.103:101803,2009, [arXiv:0907.1269].
50. T. Aaltonen et al. [CDF Collaboration], A Search for the Associated Production of the Standard-Model Higgs Boson in the All-Hadronic Channel , Phys.Rev.Lett.103:221801,2009, [arXiv:0907.0810].
51. T. Aaltonen et al. [CDF Collaboration], Search for a Higgs Boson produced in association a W Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.103:101802,2009, [arXiv:0906.5613].
52. T. Aaltonen et al. [CDF Collaboration], Measurement of the Top Quark Mass Using the Invariant Mass of Lepton Pairs in Soft Muon b-tagged Events , Phys.Rev.D80:051104,2009, [arXiv:0906.5371].
53. T. Aaltonen et al. [CDF Collaboration], Precision Measurement of the X(3872) Mass in $J/\psi\pi^+\pi^-$ Decays , Phys.Rev.Lett.103:152001,2009, [arXiv:0906.5218].
54. T. Aaltonen et al. [CDF Collaboration], Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1.96-TeV $p\bar{p}$ collisions , Phys.Rev.Lett.103:201801,2009, [arXiv:0906.1014].
55. T. Aaltonen et al. [CDF Collaboration], Searching the Inclusive Lepton + Photon + Missing E(T) + b-quark Signature for Radiative Top Quark Decay and Non-Standard-Model Processes , Phys.Rev.D80:011102,2009, [arXiv:0906.0518].

56. T. Aaltonen et al. [CDF Collaboration], First Observation of Vector Boson Pairs in a Hadronic Final State at the Tevatron Collider , Phys.Rev.Lett.103:091803,2009, [arXiv:0905.4714].
57. T. Aaltonen et al. [CDF Collaboration], Search for Standard Model Higgs Boson Production in Association with a W Boson using a Neural Network Discriminant at CDF , Phys.Rev.D80:012002,2009, [arXiv:0905.3155].
58. T. Aaltonen et al. [CDF Collaboration], Observation of the Omega(b)- Baryon and Measurement of the Properties of the Xi(b)- and Omega(b)- Baryons , Phys.Rev.D80:072003,2009, [arXiv:0905.3123].
59. T. Aaltonen et al. [CDF Collaboration], Measurement of the Ratio of Branching Fractions $B(B^{+-} \rightarrow J/\Psi\pi^{+-})/B(B^{+-} \rightarrow J/\Psi K^{+-})$, [arXiv:0905.2146] FERMILAB-PUB-07-170-E (May 2009).
60. T. Aaltonen et al. [CDF Collaboration], Production of $\psi(2S)$ Mesons in $p\bar{p}$ Collisions at 1.96-TeV , Phys.Rev.D80:031103,2009, [arXiv:0905.1982].
61. P. Adragna *et al.*, Testbeam studies of production modules of the ATLAS tile calorimeter , Nucl.Instrum.Meth. A606:362-394,2009.
62. T. Aaltonen et al. [CDF Collaboration], Search for a Fermiophobic Higgs Boson Decaying into Diphotons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.103:061803,2009,[arXiv:0905.0413].
63. T. Aaltonen et al. [CDF Collaboration], Search for the Neutral Current Top Quark Decay $t \rightarrow Zc$ Using Ratio of Z-Boson + 4 Jets to W-Boson + 4 Jets Production , Phys.Rev.D80:052001,2009, [arXiv:0905.0277].
64. T. Aaltonen et al. [CDF Collaboration], Search for Anomalous Production of Events with a Photon, Jet, b-quark Jet, and Missing Transverse Energy , Phys.Rev.D80:052003,2009, [arXiv:0905.0231].
65. Jon Pumplin, J. Huston, H.L. Lai, P.M. Nadolsky, Wu-Ki Tung, C.-P. Yuan, Collider Inclusive Jet Data and the Gluon Distribution , Phys.Rev.D80:014019,2009,[arXiv:0904.2424].
66. T. Aaltonen et al. [CDF Collaboration], Measurement of Particle Production and Inclusive Differential Cross Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.D79:112005,2009, [arXiv:0904.1098].
67. T. Aaltonen et al. [CDF Collaboration], A Measurement of the $t\bar{t}$ Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV using Dilepton Events with a Lepton plus Track Selection , Phys.Rev.D79:112007,2009, [arXiv:0903.5263].
68. T. Aaltonen et al. [CDF Collaboration], First Measurement of the $t\bar{t}$ Differential Cross Section $d\sigma/dM(t\bar{t})$ in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ -TeV , Phys.Rev.Lett.102:222003,2009, [arXiv:0903.2850].
69. T. Aaltonen et al. [CDF Collaboration], Search for Gluino-Mediated Sbottom Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.102:221801,2009, [arXiv:0903.2618].
70. T. Aaltonen et al. [CDF Collaboration], Measurement of the b-Hadron Production Cross Section Using Decays to $\mu^- D^0 X$ Final States in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.D79:092003,2009, [arXiv:0903.2403].
71. T. Aaltonen et al. [CDF Collaboration], Evidence for a Narrow Near-Threshold Structure in the $J/\psi\phi$ Mass Spectrum in $B^+ \rightarrow J/\psi\phi K^+$ Decays Phys.Rev.Lett.102:242002,2009, [arXiv:0903.2229].
72. T. Aaltonen et al. [CDF Collaboration], Search for narrow resonances lighter than Upsilon mesons , Eur.Phys.J.C62:319-326,2009,[arXiv:0903.2060].
73. T. Aaltonen et al. [CDF Collaboration], First Observation of Electroweak Single Top Quark Production , Phys.Rev.Lett.103:092002,2009, [arXiv:0903.0885].
74. T. Aaltonen et al. [CDF Collaboration], Search for WW and WZ production in lepton plus jets final state at CDF , Phys.Rev.D79:112011,2009, [arXiv:0903.0814].
75. T. Aaltonen et al. [CDF Collaboration], Search for the Production of Narrow t anti-b Resonances in 1.9 fb^{-1} of $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.103:041801,2009, [arXiv:0902.3276].
75. T. Aaltonen et al. [CDF Collaboration], Observation of exclusive charmonium production and $\gamma\gamma \rightarrow \mu^+\mu^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.102:242001,2009, [arXiv:0902.1271].

76. T. Aaltonen et al. [CDF Collaboration], Search for Long-Lived Massive Charged Particles in 1.96-TeV $p\bar{p}$ Collisions , Phys.Rev.Lett.103:021802,2009, [arXiv:0902.1266].
77. T. Aaltonen et al. [CDF Collaboration], Measurement of the $t\bar{t}$ Production Cross Section in 2 fb^{-1} of $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ -TeV Using Lepton Plus Jets Events with Soft Muon b-Tagging , Phys.Rev.D79:052007,2009, [arXiv:0901.4142].
78. , Design, construction and installation of the ATLAS hadronic barrel scintillator-tile calorimeter By ATLAS TileCal Collaboration ATL-TILECAL-PUB-2008-001 (Jul 2008).
79. The optical instrumentation of the ATLAS tile calorimeter By ATLAS TileCal Collaboration ATL-TILECAL-PUB-2008-005 (2009).
80. T. Aaltonen et al. [CDF Collaboration], Search for the Decays $B_s^0 \rightarrow e^+ \mu^-$ and $B_s^0 \rightarrow e^+ e^-$ in CDF Run II, Phys.Rev.Lett.102:201801,2009, [arXiv:0901.3803].
81. T. Aaltonen et al. [CDF Collaboration], Measurement of the top quark mass at CDF using the ‘neutrino phi weighting’ template method on a lepton plus isolated track sample , Phys.Rev.D79:072005,2009, [arXiv:0901.3773].
82. T. Aaltonen et al. [CDF Collaboration], Direct Measurement of the W Production Charge Asymmetry in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.102:181801,2009, [arXiv:0901.2169].
83. Expected Performance of the ATLAS Experiment - Detector, Trigger and Physics , By The ATLAS Collaboration, [arXiv:0901.0512] (Jan 2009).
84. T. Aaltonen et al. [CDF Collaboration], Top Quark Mass Measurement in the Lepton plus Jets Channel Using a Modified Matrix Element Method , Phys.Rev.D79:072001,2009, [arXiv:0812.4469].
85. T. Aaltonen et al. [CDF Collaboration], Measurement of Cross Sections for b Jet Production in Events with a Z Boson in p-anti-p Collisions at $\sqrt{s} = 1.96$ -TeV Phys.Rev.D79:052008,2009, [arXiv:0812.4458].
86. T. Aaltonen et al. [CDF Collaboration], Observation of New Charmless Decays of Bottom Hadrons , Phys.Rev.Lett.103:031801,2009, [arXiv:0812.4271].
87. T. Aaltonen et al. [CDF Collaboration], Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.D79:112002,2009, [arXiv:0812.4036].
88. T. Aaltonen et al. [CDF Collaboration], Search for top-quark production via flavor-changing neutral currents in W+1 jet events at CDF , Phys.Rev.Lett.102:151801,2009, [arXiv:0812.3400].
89. T. Aaltonen et al. [CDF Collaboration], Measurement of the k_T Distribution of Particles in Jets Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.102:232002,2009, [arXiv:0811.2820].
90. T. Aaltonen et al. [CDF Collaboration], Inclusive Search for Squark and Gluino Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.Lett.102:121801,2009, [arXiv:0811.2512].
91. T. Aaltonen et al. [CDF Collaboration], Top Quark Mass Measurement in the $t\bar{t}$ All Hadronic Channel using a Matrix Element Technique in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV , Phys.Rev.D79:072010,2009, [arXiv:0811.1062].
92. T. Aaltonen et al. [CDF Collaboration], Measurement of W-Boson Helicity Fractions in Top-Quark Decays Using $\cos \theta^*$, Phys.Lett.B674:160-167,2009,[arXiv:0811.0344].
93. T. Aaltonen et al. [CDF Collaboration], A Search for high-mass resonances decaying to dimuons at CDF , Phys.Rev.Lett.102:091805,2009, [arXiv:0811.0053].
94. T. Aaltonen et al. [CDF Collaboration], Search for new physics in the $\mu\mu + e\mu +$ missing E_T channel with a low- p_T lepton threshold at the Collider Detector at Fermilab , Phys.Rev.D79:052004,2009, [arXiv:0810.3522].
95. T. Aaltonen et al. [CDF Collaboration], First Measurement of the Ratio of Branching Fractions $B(\Lambda_0(b) \rightarrow \bar{c} \Lambda_0(c) \mu^- \text{ anti-}\nu(\mu)) / B(\Lambda_0(b) \rightarrow \bar{c} \Lambda_0(c) \pi^-)$, Phys.Rev.D79:032001,2009, [arXiv:0810.3213].

96. T. Aaltonen *et al.* [CDF Collaboration], Search for High-Mass $e+e-$ Resonances in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, Phys.Rev.Lett.102:031801,2009, [arXiv:0810.2059].
97. T. Aaltonen *et al.* [CDF Collaboration], Measurement of Resonance Parameters of Orbitally Excited Narrow B0 Mesons, Phys.Rev.Lett.102:102003,2009, [arXiv:0809.5007].
98. T. Aaltonen *et al.* [CDF Collaboration], Search for Maximal Flavor Violating Scalars in Same-Charge Lepton Pairs in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, Phys.Rev.Lett.102:041801,2009, [arXiv:0809.4903].
99. T. Aaltonen *et al.* [CDF Collaboration], First simultaneous measurement of the top quark mass in the lepton + jets and dilepton channels at CDF, Phys.Rev.D79:092005,2009,[arXiv:0809.4808].
100. T. Aaltonen *et al.* [CDF Collaboration], Search for a Higgs Boson Decaying to Two W Bosons at CDF, Phys.Rev.Lett.102:021802,2009, [arXiv:0809.3930].
101. T. Aaltonen *et al.* [The CDF Collaboration], Search for Doubly Charged Higgs Bosons with Lepton-Flavor-Violating Decays involving Tau Leptons, arXiv:0808.2161 [hep-ex].
102. T. Aaltonen *et al.* [CDF Collaboration], First Direct Bound on the Total Width of the Top Quark in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, arXiv:0808.2167 [hep-ex].
103. T. Aaltonen *et al.* [CDF Collaboration], Search for Supersymmetry in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV Using the Tripleton Signature of Chargino-Neutralino Production, arXiv:0808.2446 [hep-ex].
104. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the Inclusive Jet Cross Section at the Fermilab Tevatron $p\bar{p}$ Collider Using a Cone-Based Jet Algorithm, arXiv:0807.2204 [hep-ex].
105. T. Aaltonen *et al.* [CDF Collaboration], Search for large extra dimensions in final states containing one photon or jet and large missing transverse energy produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, arXiv:0807.3132 [hep-ex].
106. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the fraction of $t\bar{t}$ production via gluon-gluon fusion in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV, arXiv:0807.4262 [hep-ex].
107. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the top quark mass with dilepton events selected using neuroevolution at CDF, arXiv:0807.4652 [hep-ex].
108. T. Aaltonen *et al.* [CDF Collaboration], Forward-Backward Asymmetry in Top Quark Production in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, arXiv:0806.2472 [hep-ex].
109. T. Aaltonen *et al.* [CDF Collaboration], Search for Heavy, Long-Lived Neutralinos that Decay to Photons at CDF II Using Photon Timing, arXiv:0804.1043 [hep-ex].
110. T. Aaltonen *et al.* [CDF Collaboration], Search for the Rare Decays $B^+ \rightarrow \mu^+ \mu^- K^+$, $B^0 \rightarrow \mu^+ \mu^- K^{*0}$ (892), and $B_s^0 \rightarrow \mu^+ \mu^- \phi$ at CDF, arXiv:0804.3908 [hep-ex].
111. T. Aaltonen *et al.* [CDF Collaboration], Search for Standard Model Higgs Boson Production in Association with a W Boson at CDF, Phys. Rev. D **78**, 032008 (2008) [arXiv:0803.3493 [hep-ex]].
112. T. Aaltonen *et al.* [CDF Collaboration], Search for Hadronic Decays of W and Z Bosons in Photon Events in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ GeV, arXiv:0803.4264 [hep-ex].
113. P. M. Nadolsky *et al.*, Implications of CTEQ global analysis for collider observables, Phys. Rev. D **78**, 013004 (2008) [arXiv:0802.0007 [hep-ph]].
114. T. Aaltonen *et al.* [CDF Collaboration], Search for the Higgs boson in events with missing transverse energy and b quark jets produced in proton-antiproton collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. Lett. **100**, 211801 (2008) [arXiv:0802.0432 [hep-ex]].
115. T. Aaltonen *et al.* [CDF Collaboration], Two-Particle Momentum Correlations in Jets Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, arXiv:0802.3182 [hep-ex].
116. L. Brigliadori *et al.* [CDF Collaboration], Search for Pair Production of Scalar Top Quarks Decaying to a tau Lepton and a b Quark in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, arXiv:0802.3887 [hep-ex].

117. T. Aaltonen *et al.* [CDF Collaboration], Search for New Heavy Particles Decaying to $Z^0 Z^0 \rightarrow eeee$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **78**, 012008 (2008) [arXiv:0801.1129 [hep-ex]].
118. T. Aaltonen *et al.* [CDF Collaboration], Search for Heavy Top-like Quarks $t' \rightarrow Wq$ Using Lepton Plus Jets Events in 1.96 TeV Proton-Antiproton Collisions, Phys. Rev. Lett. **100**, 161803 (2008) [arXiv:0801.3877 [hep-ex]].
119. T. Aaltonen *et al.* [CDF Collaboration], Measurement of Ratios of Fragmentation Fractions for Bottom Hadrons in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. D **77**, 072003 (2008) [arXiv:0801.4375 [hep-ex]].
120. T. Aaltonen *et al.* [CDF Collaboration], First Measurement of ZZ Production in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. Lett. **100**, 201801 (2008) [arXiv:0801.4806 [hep-ex]].
121. C. Amsler *et al.* [Particle Data Group], Review of particle physics, Phys. Lett. B **667**, 1 (2008).
122. T. Aaltonen *et al.* [CDF Run II Collaboration], Observation of Exclusive Dijet Production at the Fermilab Tevatron $p\bar{p}$ Collider, Phys. Rev. D **77**, 052004 (2008) [arXiv:0712.0604 [hep-ex]].
123. T. Aaltonen *et al.* [CDF Collaboration], Model-Independent and Quasi-Model-Independent Search for New Physics at CDF, arXiv:0712.1311 [hep-ex].
124. T. Aaltonen *et al.* [CDF Collaboration], Observation of the Decay $B_c^\pm \rightarrow J/\psi\pi^\pm$ and Measurement of the B_c^\pm Mass, Phys. Rev. Lett. **100**, 182002 (2008) [arXiv:0712.1506 [hep-ex]].
125. T. Aaltonen *et al.* [CDF Collaboration], Search for $B_s \rightarrow \mu^+\mu^-$ and $B_d \rightarrow \mu^+\mu^-$ Decays with $2 fb^{-1}$ of $p\bar{p}$ Collisions, Phys. Rev. Lett. **100**, 101802 (2008) [arXiv:0712.1708 [hep-ex]].
126. T. Aaltonen *et al.* [CDF Collaboration], Evidence for D0-D0bar mixing using the CDF II Detector, Phys. Rev. Lett. **100**, 121802 (2008) [arXiv:0712.1567 [hep-ex]].
127. T. Aaltonen *et al.* [CDF collaboration], Measurement of Lifetime and Decay-Width Difference in $B_s^0 \rightarrow J/\psi\phi$ Decays, Phys. Rev. Lett. **100**, 121803 (2008) [arXiv:0712.2348 [hep-ex]].
128. T. Aaltonen *et al.* [CDF Collaboration], First Flavor-Tagged Determination of Bounds on Mixing-Induced CP Violation in $B_s - \bar{B}_s$ J/psi phi Decays, Phys. Rev. Lett. **100**, 161802 (2008) [arXiv:0712.2397 [hep-ex]].
129. S. D. Ellis, J. Huston, K. Hatakeyama, P. Loch and M. Tonnesmann, Jets in Hadron-Hadron Collisions, Prog. Part. Nucl. Phys. **60**, 484 (2008) [arXiv:0712.2447 [hep-ph]].
130. T. Aaltonen *et al.* [CDF Collaboration], Model-Independent Global Search for New High-pT Physics at CDF, arXiv:0712.2534 [hep-ex].
131. T. Aaltonen *et al.* [CDF Collaboration], First Measurement of the Fraction of Top Quark Pair Production Through Gluon-Gluon Fusion, arXiv:0712.3273 [hep-ex].
132. T. Aaltonen *et al.* [CDF Run II Collaboration], Measurement of correlated b-bbar production in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ GeV, Phys. Rev. D **77**, 072004 (2008) [arXiv:0710.1895 [hep-ex]].
133. T. Aaltonen *et al.* [CDF Collaboration], First Measurement of the Production of a W Boson in Association with a Single Charm Quark in Proton Anti-proton Collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. Lett. **100**, 091803 (2008) [arXiv:0711.2901 [hep-ex]].
134. T. Aaltonen *et al.* [CDF Collaboration], Search for chargino-neutralino production in $p\bar{p}$ collisions at 1.96 TeV with high pT leptons, Phys. Rev. D **77**, 052002 (2008) [arXiv:0711.3161 [hep-ex]].
135. T. Aaltonen *et al.* [CDF - Run II Collaboration], Measurement of Inclusive Jet Cross Sections in $Z/g^* (\rightarrow ee) +$ jets Production in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. Lett. **100**, 102001 (2008) [arXiv:0711.3717 [hep-ex]].
136. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the cross section for W-boson production in association with jets in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. D **77**, 011108 (2008) [arXiv:0711.4044 [hep-ex]].

137. T. Aaltonen *et al.* [CDF Run II Collaboration], First observation of the decay $B_s^0 \rightarrow D_s^- D_s^+$ and measurement of its branching ratio, Phys. Rev. Lett. **100**, 021803 (2008).
138. T. Aaltonen *et al.* [CDF Collaboration], Cross Section Constrained Top Quark Mass Measurement from Dilepton Events at the Tevatron, Phys. Rev. Lett. **100**, 062005 (2008) [arXiv:0710.4037 [hep-ex]].
139. T. Aaltonen *et al.* [CDF Collaboration], A direct Measurement of the W Boson Width in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **100**, 071801 (2008) [arXiv:0710.4112 [hep-ex]].
140. T. Aaltonen *et al.* [CDF Collaboration], Observation of Orbitally Excited B_s Mesons, Phys. Rev. Lett. **100**, 082001 (2008) [arXiv:0710.4199 [hep-ex]].
141. T. Aaltonen *et al.* [CDF Collaboration], Search for Standard Model Higgs Bosons Produced in Association with W Phys. Rev. Lett. **100**, 041801 (2008) [arXiv:0710.4363 [hep-ex]].
142. T. Aaltonen *et al.* [CDF Collaboration], Limits on the Production of Narrow $t\bar{t}$ Resonances in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. D **77**, 051102 (2008) [arXiv:0710.5335 [hep-ex]].
143. T. Aaltonen *et al.* [CDF Collaboration], Search for resonant $t\bar{t}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **100**, 231801 (2008) [arXiv:0709.0705 [hep-ex]].
144. T. Aaltonen *et al.* [CDF Collaboration], First Run II Measurement of the W Boson Mass, Phys. Rev. D **77**, 112001 (2008) [arXiv:0708.3642 [hep-ex]].
145. T. Aaltonen *et al.* [CDF Collaboration], First Measurement of the W Boson Mass in Run II of the Tevatron, Phys. Rev. Lett. **99**, 151801 (2007) [arXiv:0707.0085 [hep-ex]].
146. T. Aaltonen *et al.* [CDF Collaboration], Observation and mass measurement of the baryon $X i_b^-$, Phys. Rev. Lett. **99**, 052002 (2007) [arXiv:0707.0589 [hep-ex]].
147. T. Aaltonen *et al.* [CDF Collaboration], Search for a high-mass diphoton state and limits on Randall-Sundrum gravitons at CDF, Phys. Rev. Lett. **99**, 171801 (2007) [arXiv:0707.2294 [hep-ex]].
148. T. Aaltonen *et al.* [CDF Collaboration], Search for chargino-neutralino production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **99**, 191806 (2007) [arXiv:0707.2362 [hep-ex]].
149. T. Aaltonen *et al.* [CDF Collaboration], Search for exclusive $\gamma\gamma$ production in hadron-hadron collisions, Phys. Rev. Lett. **99**, 242002 (2007) [arXiv:0707.2374 [hep-ex]].
150. T. Aaltonen *et al.* [CDF Collaboration], Search for new physics in high mass electron-positron events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **99**, 171802 (2007) [arXiv:0707.2524 [hep-ex]].
151. T. Aaltonen *et al.* [CDF Collaboration], Search for Direct Pair Production of Supersymmetric Top and Supersymmetric Bottom Quarks in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **76**, 072010 (2007) [arXiv:0707.2567 [hep-ex]].
152. T. Aaltonen *et al.* [CDF Collaboration], Search for New Particles Leading to Z + jets Final States in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **76**, 072006 (2007) [arXiv:0706.3264 [hep-ex]].
153. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the $p\bar{p} \rightarrow t\bar{t}$ production cross-section and the top quark mass at $\sqrt{s} = 1.96$ -TeV in the all-hadronic decay mode, Phys. Rev. D **76**, 072009 (2007) [arXiv:0706.3790 [hep-ex]].
154. T. Aaltonen *et al.* [CDF Collaboration], First observation of heavy baryons Σ_b and Σ_b^* , Phys. Rev. Lett. **99**, 202001 (2007) [arXiv:0706.3868 [hep-ex]].
155. T. Aaltonen *et al.* [CDF Collaboration], Measurement of the top-quark mass using missing E_T + jets events with secondary vertex b -tagging at CDF II, Phys. Rev. D **75**, 111103 (2007) [arXiv:0705.1594 [hep-ex]].
156. T. Aaltonen *et al.* [CDF Collaboration], Limits on Anomalous Triple Gauge Couplings in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **76**, 111103 (2007) [arXiv:0705.2247 [hep-ex]].
157. A. Abulencia *et al.* [CDF Collaboration], Polarization of J/ψ and ψ_{2S} mesons produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **99**, 132001 (2007) [arXiv:0704.0638 [hep-ex]].

158. A. Abulencia *et al.* [CDF Collaboration], Search for heavy, long-lived particles that decay to photons at CDF II, Phys. Rev. Lett. **99**, 121801 (2007) [arXiv:0704.0760 [hep-ex]].
159. A. Abulencia *et al.* [CDF Run II Collaboration], Measurement of $\sigma_{\chi_{c2}}\mathcal{B}(\chi_{c2} \rightarrow J/\psi\gamma)/\sigma_{\chi_{c1}}\mathcal{B}(\chi_{c1} \rightarrow J/\psi\gamma)$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **98**, 232001 (2007) [arXiv:hep-ex/0703028].
160. A. Abulencia *et al.* [CDF Collaboration], Precise measurement of the top quark mass in the lepton+jets topology at CDF II, Phys. Rev. Lett. **99**, 182002 (2007) [arXiv:hep-ex/0703045].
161. J. F. Owens *et al.*, The Impact of new neutrino DIS and Drell-Yan data on large-x parton distributions, Phys. Rev. D **75**, 054030 (2007) [arXiv:hep-ph/0702159].
162. A. Abulencia *et al.* [CDF Collaboration], Observation of WZ Production, Phys. Rev. Lett. **98**, 161801 (2007) [arXiv:hep-ex/0702027].
163. A. Abulencia *et al.* [CDF Run II Collaboration], Search for new physics in lepton + photon + X events with $929 \text{ pb}^{(-1)}$ of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **75**, 112001 (2007) [arXiv:hep-ex/0702029].
164. A. Abulencia *et al.* [CDF Collaboration], First Measurement of the Ratio of Central-Electron to Forward-Electron W Partial Cross Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **98**, 251801 (2007) [arXiv:hep-ex/0702037].
165. A. Abulencia *et al.* [CDF Collaboration], Inclusive search for new physics with like-sign dilepton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **98**, 221803 (2007) [arXiv:hep-ex/0702051].
166. A. Abulencia *et al.* [CDF Collaboration], Search for anomalous production of multi-lepton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **98**, 131804 (2007) [arXiv:0706.4448 [hep-ex]].
167. A. Abulencia *et al.* [CDF - Run II Collaboration], Measurement of the Inclusive Jet Cross Section using the kT algorithm in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV with the CDF II Detector, Phys. Rev. D **75**, 092006 (2007) [Erratum-ibid. D **75**, 119901 (2007)] [arXiv:hep-ex/0701051].
168. J. W. Huston, Bearing standard model benchmarks to the LHC, Acta Phys. Polon. B **38**, 2279 (2007).
169. A. Abulencia *et al.* [CDF II Collaboration], Measurement of the Helicity Fractions of W Bosons from Top Quark Decays using Fully Reconstructed $t\bar{t}$ Events with CDF II, Phys. Rev. D **75**, 052001 (2007) [arXiv:hep-ex/0612011].
170. A. Abulencia *et al.* [CDF Collaboration], Measurement of the B+ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ -GeV, Phys. Rev. D **75**, 012010 (2007) [arXiv:hep-ex/0612015].
171. T. Aaltonen *et al.* [CDF Run II Collaboration], Measurement of the top-quark mass in all-hadronic decays in $p\bar{p}$ collisions at CDF II, Phys. Rev. Lett. **98**, 142001 (2007) [arXiv:hep-ex/0612026].
172. A. Abulencia *et al.* [CDF Collaboration], Analysis of the quantum numbers J(PC) of the X(3872), Phys. Rev. Lett. **98**, 132002 (2007) [arXiv:hep-ex/0612053].
173. A. Abulencia *et al.* [CDF Collaboration], Cross section measurements of high- p_T dilepton final-state processes using a global fitting method, Phys. Rev. D **78**, 012003 (2008) [arXiv:hep-ex/0612058].
174. A. Abulencia *et al.* [CDF - Run II Collaboration], Precision measurement of the top quark mass from dilepton events at CDF II, Phys. Rev. D **75**, 031105 (2007) [arXiv:hep-ex/0612060].
175. A. Abulencia *et al.* [CDF - Run II Collaboration], Measurement of the Top Quark Mass in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV using the Decay Length Technique, Phys. Rev. D **75**, 071102 (2007) [arXiv:hep-ex/0612061].
176. A. Abulencia *et al.* [CDF Collaboration], Search for Exotic S=-2 Baryons in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV, Phys. Rev. D **75**, 032003 (2007) [arXiv:hep-ex/0612066].
177. J. M. Campbell, J. W. Huston and W. J. Stirling, Hard interactions of quarks and gluons: A primer for LHC physics, Rept. Prog. Phys. **70**, 89 (2007) [arXiv:hep-ph/0611148].

178. A. Abulencia *et al.* [CDF Collaboration], Search for W boson decaying to electron-neutrino pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. D **75**, 091101 (2007) [arXiv:hep-ex/0611022].
179. A. Abulencia *et al.* [CDF Collaboration], Observation of exclusive electron positron production in hadron hadron collisions, Phys. Rev. Lett. **98**, 112001 (2007) [arXiv:hep-ex/0611040].
180. J. Alwall *et al.*, A standard format for Les Houches event files, Comput. Phys. Commun. **176**, 300 (2007) [arXiv:hep-ph/0609017].
181. A. Abulencia *et al.* [CDF Collaboration], Measurement of the Λ_b^0 lifetime in $\Lambda_b^0 \rightarrow J/\psi\Lambda_0$ in p anti-p collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **98**, 122001 (2007) [arXiv:hep-ex/0609021].
182. A. Abulencia *et al.* [CDF Collaboration], Observation of $B_s^0\bar{B}_s^0$ oscillations, Phys. Rev. Lett. **97**, 242003 (2006) [arXiv:hep-ex/0609040]. [183]
183. A. Abulencia *et al.* [CDF Collaboration], Search for V + A current in top quark decay in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **98**, 072001 (2007) [arXiv:hep-ex/0608062].
184. A. Abulencia *et al.* [CDF Collaboration], Observation of $B_s^0 \rightarrow K^+K^-$ and Measurements of Branching Fractions of Charmless Two-body Decays of B^0 and B_s^0 Mesons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **97**, 211802 (2006) [arXiv:hep-ex/0607021].
185. A. Abulencia *et al.* [CDF Collaboration and CDF - Run II Collaboration], Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$ using Lepton + Jets Events with Jet Probability b tagging, Phys. Rev. D **74**, 072006 (2006) [arXiv:hep-ex/0607035].
186. A. Abulencia *et al.* [CDF - Run II Collaboration], Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$ in the All Hadronic Decay Mode, Phys. Rev. D **74**, 072005 (2006) [arXiv:hep-ex/0607095].
187. A. Abulencia *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **97**, 082004 (2006) [arXiv:hep-ex/0606017].
188. A. Abulencia *et al.* [CDF - Run II Collaboration], Measurement of the $B_s^0 - \bar{B}_s^0$ Oscillation Frequency, Phys. Rev. Lett. **97**, 062003 (2006) [arXiv:hep-ex/0606027].
189. A. Abulencia *et al.* [CDF Collaboration], Search for excited and exotic muons in the $\mu\gamma$ decay channel in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **97**, 191802 (2006) [arXiv:hep-ex/0606043].
190. A. Abulencia *et al.* [CDF Collaboration], Measurement of the ratio of branching fractions $B(D^0 \rightarrow K^+\pi^-)/B(D^0 \rightarrow K^-\pi^+)$ using the CDF II Detector, Phys. Rev. D **74**, 031109 (2006) [arXiv:hep-ex/0605027].
191. A. Abulencia *et al.* [CDF Collaboration], Search for new physics in lepton + photon + X events with 305 pb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **97**, 031801 (2006) [arXiv:hep-ex/0605097].
192. A. Abulencia *et al.* [CDF Collaboration], Measurement of the b jet cross-section in events with a Z boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. D **74**, 032008 (2006) [arXiv:hep-ex/0605099].
193. A. Abulencia *et al.* [CDF Collaboration], Top quark mass measurement from dilepton events at CDF II with the matrix-element method, Phys. Rev. D **74**, 032009 (2006) [arXiv:hep-ex/0605118].
194. A. Abulencia *et al.* [CDF Collaboration], Search for a neutral Higgs boson decaying to a W boson pair in p antip collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **97**, 081802 (2006) [arXiv:hep-ex/0605124].
195. A. Abulencia *et al.* [CDF Collaboration], Search for large extra dimensions in the production of jets and missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **97**, 171802 (2006) [arXiv:hep-ex/0605101].
196. A. Abulencia *et al.* [CDF Collaboration], Search for high-mass resonances decaying to e mu in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$, Phys. Rev. Lett. **96**, 211802 (2006) [arXiv:hep-ex/0603006].
197. A. Abulencia *et al.* [CDF Collaboration], Measurement of the B/c+ meson lifetime using B/c+ \rightarrow J/psi e+ nu/e, Phys. Rev. Lett. **97**, 012002 (2006) [arXiv:hep-ex/0603027].

198. A. Abulencia *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV using missing Et + jets events with secondary vertex b-tagging, Phys. Rev. Lett. **96**, 202002 (2006) [arXiv:hep-ex/0603043].
199. A. Abulencia *et al.* [CDF Collaboration], Observation of $B_s^0 \rightarrow \psi(2S)\phi$ and measurement of ratio of branching fractions $B(B_s^0 \rightarrow \psi(2S)\phi)/B(B_s^0 \rightarrow J/\psi\phi)$, Phys. Rev. Lett. **96**, 231801 (2006) [arXiv:hep-ex/0602005].
200. A. Abulencia *et al.* [CDF Collaboration], Measurement of the top quark mass using template methods on dilepton events in proton antiproton collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **73**, 112006 (2006) [arXiv:hep-ex/0602008].
201. A. Abulencia *et al.* [CDF Collaboration], Search for $Z' \rightarrow e^+e^-$ using dielectron mass and angular distribution, Phys. Rev. Lett. **96**, 211801 (2006) [arXiv:hep-ex/0602045].
202. A. Abulencia *et al.* [CDF Collaboration], Measurement of $\sigma(\Lambda_b^0)/\sigma(\bar{B}^0) \times BR(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)/BR(\text{anti-}B^0 \rightarrow D^+ \pi^-)$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **98**, 122002 (2007) [arXiv:hep-ex/0601003].
203. P. Adragna *et al.*, The ATLAS hadronic tile calorimeter: From construction toward physics, IEEE Trans. Nucl. Sci. **53**, 1275 (2006).
204. A. Abulencia *et al.* [CDF Collaboration], Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b-tags in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **73**, 092002 (2006) [arXiv:hep-ex/0512009].
205. A. Abulencia *et al.* [CDF Run II Collaboration], Measurement of the inclusive jet cross section in $p\bar{p}$ interactions at $\sqrt{s} = 1.96$ -TeV using a cone-based jet algorithm, Phys. Rev. D **74**, 071103 (2006) [arXiv:hep-ex/0512020].
206. J. Pumplin, A. Belyaev, J. Huston, D. Stump and W. K. Tung, Parton distributions and the strong coupling strength $\alpha(s)$, JHEP **0602**, 032 (2006) [arXiv:hep-ph/0512167].
207. A. Abulencia *et al.* [CDF Collaboration], Search for second-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. D **73**, 051102 (2006) [arXiv:hep-ex/0512055].
208. A. Abulencia *et al.* [CDF Collaboration], Search for H to b anti-b produced in association with W bosons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **96**, 081803 (2006) [arXiv:hep-ex/0512051].
209. A. Abulencia *et al.* [CDF II Collaboration], Measurement of the inclusive jet cross section using the kT algorithm in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **96**, 122001 (2006) [arXiv:hep-ex/0512062].
210. A. Abulencia *et al.* [CDF Collaboration], Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a W boson at CDF II, Phys. Rev. D **73**, 051101 (2006) [arXiv:hep-ex/0512065].
211. A. Abulencia *et al.* [CDF Collaboration], Measurement of mass and width of the excited charmed meson states D10 and D2*0, Phys. Rev. D **73**, 051104 (2006) [arXiv:hep-ex/0512069].
212. A. Abulencia *et al.* [CDF Collaboration], Top quark mass measurement from dilepton events at CDF II, Phys. Rev. Lett. **96**, 152002 (2006) [arXiv:hep-ex/0512070].
213. A. Abulencia *et al.* [CDF Collaboration], A search for scalar bottom quarks from gluino decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **96**, 171802 (2006) [arXiv:hep-ex/0512072].
214. A. Abulencia *et al.* [CDF Collaboration], Measurement of the dipion mass spectrum in $X(3872) \rightarrow J/\psi\pi^+\pi^-$ decays, Phys. Rev. Lett. **96**, 102002 (2006) [arXiv:hep-ex/0512074].
215. A. Abulencia *et al.* [CDF-Run II Collaboration], Measurement of the helicity of W bosons in top-quark decays, Phys. Rev. D **73**, 111103 (2006) [arXiv:hep-ex/0511023].
216. A. Abulencia *et al.* [CDF Collaboration], Top quark mass measurement using the template method in the lepton + jets channel at CDF II, Phys. Rev. D **73**, 032003 (2006) [arXiv:hep-ex/0510048].

217. A. Abulencia *et al.* [CDF Collaboration], Precision top quark mass measurement in the lepton + jets topology in p anti-p collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **96**, 022004 (2006) [arXiv:hep-ex/0510049].
218. A. Abulencia *et al.* [CDF Collaboration], A search for $t \rightarrow tau\nu q$ in $t\bar{t}$ production, Phys. Lett. B **639**, 172 (2006) [arXiv:hep-ex/0510063].
219. A. Abulencia *et al.* [CDF Collaboration], Search for charged Higgs bosons from top quark decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ -TeV, Phys. Rev. Lett. **96**, 042003 (2006) [arXiv:hep-ex/0510065].
220. A. Abulencia *et al.* [CDF Collaboration], Direct search for Dirac magnetic monopoles in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **96**, 201801 (2006) [arXiv:hep-ex/0509015].
221. A. Abulencia *et al.* [CDF Collaboration], Measurement of the ratios of branching fractions $B(B_s^0 \rightarrow D_s^- \pi^+)/B(B^0 \rightarrow D^- \pi^+)$ and $B(B^+ \rightarrow \bar{D}^0 \pi^+)/B(B^0 \rightarrow D^- \pi^+)$, Phys. Rev. Lett. **96**, 191801 (2006) [arXiv:hep-ex/0508014].
222. D. E. Acosta *et al.* [CDF Collaboration], Measurement of b hadron masses in exclusive J/ψ decays with the CDF detector, Phys. Rev. Lett. **96**, 202001 (2006) [arXiv:hep-ex/0508022].
223. A. Abulencia *et al.* [CDF Collaboration], Measurements of Inclusive W and Z Cross Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, J. Phys. G **34**, 2457 (2007) [arXiv:hep-ex/0508029].
224. A. Abulencia *et al.* [CDF Collaboration], Search for $B_s \rightarrow \mu^+ \mu^-$ and $B_d \rightarrow \mu^+ \mu^-$ decays in $p\bar{p}$ collisions with CDF II, Phys. Rev. Lett. **95**, 221805 (2005) [Erratum-ibid. **95**, 249905 (2005)] [arXiv:hep-ex/0508036].
225. A. Abulencia *et al.* [CDF Collaboration], Search for neutral MSSM Higgs bosons decaying to tau pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **96**, 011802 (2006) [arXiv:hep-ex/0508051].
226. D. E. Acosta *et al.* [CDF Collaboration], Search for W and Z bosons in the reaction $p\bar{p} \rightarrow 2\text{jets} + \gamma$ at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **73**, 012001 (2006) [arXiv:hep-ex/0507051].
227. D. E. Acosta *et al.* [CDF Collaboration], Search for $\Lambda_b \rightarrow p\pi$ and $\Lambda_b \rightarrow pK$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **72**, 051104 (2005) [arXiv:hep-ex/0507067].
228. A. Abulencia *et al.* [CDF Collaboration], Search for new high mass particles decaying to lepton pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **95**, 252001 (2005) [arXiv:hep-ex/0507104].
229. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using lepton plus jets events with semileptonic B decays to muons, Phys. Rev. D **72**, 032002 (2005) [arXiv:hep-ex/0506001].
230. L. Apanasevich *et al.* [Fermilab E706 Collaboration], Nuclear effects in high- p_T production of direct photons and neutral mesons, Phys. Rev. D **72**, 032003 (2005) [arXiv:hep-ex/0506003].
231. D. E. Acosta *et al.* [CDF Collaboration], A search for supersymmetric Higgs bosons in the di-tau decay mode in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **72**, 072004 (2005) [arXiv:hep-ex/0506042].
232. D. E. Acosta *et al.* [CDF Collaboration], Search for first-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **72**, 051107 (2005) [arXiv:hep-ex/0506074].
233. D. E. Acosta *et al.* [CDF Collaboration], Study of jet shapes in inclusive jet production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **71**, 112002 (2005) [arXiv:hep-ex/0505013].
234. A. Abulencia *et al.* [CDF Collaboration], Evidence for the exclusive decay $B_c^\pm \rightarrow J/\psi \pi^\pm$ and measurement of the mass of the B_c meson, Phys. Rev. Lett. **96**, 082002 (2006) [arXiv:hep-ex/0505076].
235. D. E. Acosta *et al.* [CDF Collaboration], Measurement of $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ at the Collider Detector at Fermilab, Phys. Rev. Lett. **95**, 102002 (2005) [arXiv:hep-ex/0505091].

236. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **73**, 052002 (2006) [arXiv:hep-ex/0504020].
237. D. E. Acosta *et al.* [CDF Collaboration], K_S^0 and Λ^0 production studies in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ -GeV and 630-GeV, Phys. Rev. D **72**, 052001 (2005) [arXiv:hep-ex/0504048].
238. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the cross section for $t\bar{t}$ production in $p\bar{p}$ collisions using the kinematics of lepton + jets events, Phys. Rev. D **72**, 052003 (2005) [arXiv:hep-ex/0504053].
239. D. E. Acosta *et al.* [CDF Collaboration], Search for long-lived doubly-charged Higgs bosons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **95**, 071801 (2005) [arXiv:hep-ex/0503004].
240. D. E. Acosta *et al.* [CDF Collaboration], Search for Higgs bosons decaying into $b\bar{b}$ and produced in association with a vector boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ Phys. Rev. Lett. **95**, 051801 (2005) [arXiv:hep-ex/0503039].
241. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the moments of the hadronic invariant mass distribution in semileptonic B decays, Phys. Rev. D **71**, 051103 (2005) [arXiv:hep-ex/0502003].
242. J. Huston, J. Pumplin, D. Stump and W. K. Tung, Stability of NLO global analysis and implications for hadron collider physics, JHEP **0506**, 080 (2005) [arXiv:hep-ph/0502080].
243. D. E. Acosta *et al.* [CDF Collaboration], First evidence for $B_s^0 \rightarrow \phi\phi$ decay and measurements of branching ratio and A_{CP} for $B^+ \rightarrow \phi K^+$, Phys. Rev. Lett. **95**, 031801 (2005) [arXiv:hep-ex/0502044].
244. D. E. Acosta *et al.* [CDF Collaboration], Search for ZZ and ZW production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **71**, 091105 (2005) [arXiv:hep-ex/0501021].
245. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the forward-backward charge asymmetry from $W \rightarrow e\nu$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **71**, 051104 (2005) [arXiv:hep-ex/0501023].
246. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the W^+W^- production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using dilepton events, Phys. Rev. Lett. **94**, 211801 (2005) [arXiv:hep-ex/0501050].
247. D. E. Acosta *et al.* [CDF Collaboration], Measurements of $b\bar{b}$ azimuthal production correlations in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **71**, 092001 (2005) [arXiv:hep-ex/0412006].
248. D. E. Acosta *et al.* [CDF Collaboration], Search for anomalous kinematics in $t\bar{t}$ dilepton events at CDF II, Phys. Rev. Lett. **95**, 022001 (2005) [arXiv:hep-ex/0412042].
249. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the cross section for prompt diphoton production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **95**, 022003 (2005) [arXiv:hep-ex/0412050].
250. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the lifetime difference between B(s) mass eigenstates, Phys. Rev. Lett. **94**, 101803 (2005) [arXiv:hep-ex/0412057].
251. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1960$ GeV, Phys. Rev. D **71**, 032001 (2005) [arXiv:hep-ex/0412071].
252. M. Gallinaro *et al.*, A new scintillator tile/fiber preshower detector for the CDF central calorimeter, IEEE Trans. Nucl. Sci. **52**, 879 (2005) [arXiv:physics/0411056].
253. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the forward-backward charge asymmetry of electron positron pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **71**, 052002 (2005) [arXiv:hep-ex/0411059].
254. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the W boson polarization in top decay at CDF at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **71**, 031101 (2005) [Erratum-ibid. D **71**, 059901 (2005)] [arXiv:hep-ex/0411070].

255. J. Campbell and J. Huston, Heavy flavor in $W + \text{jets}$ production at the Fermilab Tevatron, Phys. Rev. D **70**, 094021 (2004).
256. D. E. Acosta *et al.* [CDF II Collaboration], Measurement of $W\gamma$ and $Z\gamma$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **94**, 041803 (2005) [arXiv:hep-ex/0410008].
257. D. E. Acosta *et al.* [CDF Collaboration], Search for excited and exotic electrons in the $e\gamma$ decay channel in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **94**, 101802 (2005) [arXiv:hep-ex/0410013].
258. D. E. Acosta *et al.* [CDF Collaboration], Comparison of three-jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8\text{TeV}$ to predictions from next-to-leading order QCD calculation, Phys. Rev. D **71**, 032002 (2005) [arXiv:hep-ex/0410018].
259. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using lepton + jets events with secondary vertex b-tagging, Phys. Rev. D **71**, 052003 (2005) [arXiv:hep-ex/0410041].
260. D. E. Acosta *et al.* [CDF Collaboration], Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models, Phys. Rev. D **71**, 031104 (2005) [arXiv:hep-ex/0410053].
261. D. E. Acosta *et al.* [CDF Collaboration], Search for electroweak single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **71**, 012005 (2005) [arXiv:hep-ex/0410058].
262. D. E. Acosta *et al.* [CDF Collaboration], Search for scalar leptoquark pairs decaying to $\nu\bar{\nu}q\bar{q}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **71**, 112001 (2005) [Erratum-ibid. D **71**, 119901 (2005)] [arXiv:hep-ex/0410076].
263. D. E. Acosta *et al.* [CDF-II Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using kinematic fitting of b -tagged lepton + jet events, Phys. Rev. D **71**, 072005 (2005) [arXiv:hep-ex/0409029].
264. D. E. Acosta *et al.* [CDF Collaboration], Measurement of partial widths and search for direct CP violation in D^0 meson decays to K^-K^+ and $\pi^-\pi^+$, Phys. Rev. Lett. **94**, 122001 (2005) [arXiv:hep-ex/0504006].
265. L. Apanasevich *et al.* [Fermilab E706 Collaboration], Measurement of direct photon production at Tevatron fixed target energies, Phys. Rev. D **70**, 092009 (2004) [arXiv:hep-ex/0407011].
266. D. E. Acosta *et al.* [CDF Collaboration], Measurement of charged particle multiplicities in gluon and quark jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **94**, 171802 (2005).
267. D. E. Acosta *et al.* [CDF Collaboration], Search for doubly-charged Higgs bosons decaying to dileptons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **93**, 221802 (2004) [arXiv:hep-ex/0406073].
268. D. E. Acosta *et al.* [CDF II Collaboration], First measurements of inclusive W and Z cross sections from Run II of the Tevatron collider, Phys. Rev. Lett. **94**, 091803 (2005) [arXiv:hep-ex/0406078].
269. D. E. Acosta *et al.* [CDF Collaboration], Inclusive search for anomalous production of high p_T like-sign lepton pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **93**, 061802 (2004) [arXiv:hep-ex/0405063].
270. D. E. Acosta *et al.* [CDF Collaboration], The underlying event in hard interactions at the Tevatron $p\bar{p}$ collider, Phys. Rev. D **70**, 072002 (2004) [arXiv:hep-ex/0404004].
271. D. E. Acosta *et al.* [CDF Collaboration], Direct photon cross section with conversions at CDF, Phys. Rev. D **70**, 074008 (2004) [arXiv:hep-ex/0404022].
272. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using dilepton events, Phys. Rev. Lett. **93**, 142001 (2004) [arXiv:hep-ex/0404036].
273. D. E. Acosta *et al.* [CDF Collaboration], Search for $B_s^0 \rightarrow \mu^+\mu^-$ and $B_d^0 \rightarrow \mu^+\mu^-$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **93**, 032001 (2004) [arXiv:hep-ex/0403032].
274. D. E. Acosta *et al.* [CDF Collaboration], Optimized search for single top quark production at the Fermilab Tevatron, Phys. Rev. D **69**, 052003 (2004).

275. D. E. Acosta *et al.* [CDF II Collaboration], Observation of the narrow state $X(3872) \rightarrow J/\psi\pi^+\pi^-$ in $\bar{p}p$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **93**, 072001 (2004) [arXiv:hep-ex/0312021].
276. F. Olness *et al.*, Neutrino dimuon production and the strangeness asymmetry of the nucleon, Eur. Phys. J. C **40**, 145 (2005) [arXiv:hep-ph/0312323].
277. D. E. Acosta *et al.* [CDF Collaboration], Inclusive double pomeron exchange at the Fermilab Tevatron $\bar{p}p$ collider, Phys. Rev. Lett. **93**, 141601 (2004) [arXiv:hep-ex/0311023].
278. V. M. Abazov *et al.* [CDF Collaboration and D0 Collaboration], Combination of CDF and D0 results on W boson mass and width, Phys. Rev. D **70**, 092008 (2004) [arXiv:hep-ex/0311039].
279. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **70**, 032004 (2004) [arXiv:hep-ex/0311050].
280. D. E. Acosta *et al.* [CDF II Collaboration], Measurement of the mass difference $m(D_s^+) - m(D^+)$ at CDF II, Phys. Rev. D **68**, 072004 (2003) [arXiv:hep-ex/0310043].
281. S. Kuhlmann *et al.*, The CDF calorimeter upgrade for Run IIB, Nucl. Instrum. Meth. A **518**, 39 (2004) [arXiv:physics/0310155].
282. D. Acosta *et al.* [CDF Collaboration], Measurement of the average time-integrated mixing probability of b -flavored hadrons produced at the Tevatron, Phys. Rev. D **69**, 012002 (2004) [arXiv:hep-ex/0309030].
283. L. Apanasevich *et al.* [Fermilab E706 Collaboration], Production of π^0 and η mesons at large transverse momenta in $\pi^- p$ and $\pi^- \text{Be}$ interactions at 515-GeV/c, Phys. Rev. D **69**, 032003 (2004) [arXiv:hep-ex/0308022].
284. D. E. Acosta *et al.* [CDF Collaboration], Search for the flavor-changing neutral current decay $D^0 \rightarrow \mu^+\mu^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **68**, 091101 (2003) [arXiv:hep-ex/0308059].
285. D. E. Acosta *et al.* [CDF Collaboration], Search for lepton flavor violating decays of a heavy neutral particle in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **91**, 171602 (2003) [arXiv:hep-ex/0307012].
286. D. E. Acosta *et al.* [CDF Collaboration], Measurement of prompt charm meson production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **91**, 241804 (2003) [arXiv:hep-ex/0307080].
287. D. E. Acosta *et al.* [CDF Collaboration], Search for pair production of scalar top quarks in R -parity violating decay modes in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **92**, 051803 (2004) [arXiv:hep-ex/0305010].
288. D. Stump, J. Huston, J. Pumplin, W. K. Tung, H. L. Lai, S. Kuhlmann and J. F. Owens, Inclusive jet production, parton distributions, and the search for new physics, JHEP **0310**, 046 (2003) [arXiv:hep-ph/0303013].
289. D. E. Acosta *et al.* [CDF Collaboration and CDFII Collaboration], Central pseudorapidity gaps in events with a leading antiproton at the Fermilab Tevatron $\bar{p}p$ collider, Phys. Rev. Lett. **91**, 011802 (2003) [arXiv:hep-ex/0303011].
290. D. E. Acosta *et al.* [CDF Collaboration], Search for the supersymmetric partner of the top quark in dilepton events from $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **90**, 251801 (2003) [arXiv:hep-ex/0302009].
291. C. Alexa *et al.*, A measurement of the photonuclear interactions of 180-GeV muons in iron, Eur. Phys. J. C **28**, 297 (2003).
292. D. E. Acosta *et al.* [CDF Collaboration], Search for associated production of Υ and vector boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **90**, 221803 (2003).
293. D. E. Acosta *et al.* [CDF Collaboration], Search for long-lived charged massive particles in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **90**, 131801 (2003) [arXiv:hep-ex/0211064].
294. D. E. Acosta *et al.* [CDF Collaboration], Cross section for forward J/ψ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **66**, 092001 (2002).

295. D. E. Acosta *et al.* [CDF Collaboration], Search for a W' boson decaying to a top and bottom quark pair in 1.8 TeV $p\bar{p}$ collisions, Phys. Rev. Lett. **90**, 081802 (2003) [arXiv:hep-ex/0209030].
296. D. E. Acosta *et al.* [CDF Collaboration and CDF Collaboration], Search for radiative b-hadron decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **66**, 112002 (2002) [arXiv:hep-ex/0208035].
297. D. E. Acosta *et al.* [CDF Collaboration], Branching ratio measurements of exclusive B^+ decays to charmium with the Collider Detector at Fermilab, Phys. Rev. D **66**, 052005 (2002).
298. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the ratio of b quark production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 630$ GeV and $\sqrt{s} = 1800$ GeV, Phys. Rev. D **66**, 032002 (2002) [arXiv:hep-ex/0206019].
299. D. E. Acosta *et al.* [CDF Collaboration], Momentum distribution of charged particles in jets in dijet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV and comparisons to perturbative QCD predictions, Phys. Rev. D **68**, 012003 (2003).
300. D. E. Acosta *et al.* [CDF Collaboration], Limits on extra dimensions and new particle production in the exclusive photon and missing energy signature in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **89**, 281801 (2002) [arXiv:hep-ex/0205057].
301. L. Apanasevich *et al.* [Fermilab E706 Collaboration], Production of pi0 and eta mesons at large transverse momenta in pp and pBe interactions at 530-GeV/c and 800-GeV/c, Phys. Rev. D **68**, 052001 (2003) [arXiv:hep-ex/0204031].
302. D. E. Acosta *et al.* [CDF Collaboration], Measurement of B meson lifetimes using fully reconstructed B decays produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **65**, 092009 (2002). D. E. Acosta *et al.* [CDF Collaboration], Search for B meson decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV, Phys. Rev. Lett. **89**, 041802 (2002) [arXiv:hep-ex/0202044].
303. D. E. Acosta *et al.* [CDF Collaboration], Comparison of the isolated direct photon cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV and $\sqrt{s} = 0.63$ -TeV, Phys. Rev. D **65**, 112003 (2002) [arXiv:hep-ex/0201004].
305. J. Pumplin, D. R. Stump, J. Huston, H. L. Lai, P. Nadolsky and W. K. Tung, New generation of parton distributions with uncertainties from global QCD analysis, JHEP **0207**, 012 (2002) [arXiv:hep-ph/0201195].
306. D. E. Acosta *et al.* [CDF Collaboration], Measurement of the B^+ total cross section and B^+ differential cross section $d\sigma/dp_T$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV, Phys. Rev. D **65**, 052005 (2002) [arXiv:hep-ph/0111359].
307. D. E. Acosta *et al.* [CDF Collaboration], Upsilon production and polarization in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV, Phys. Rev. Lett. **88**, 161802 (2002).
308. D. E. Acosta *et al.* [CDF Collaboration], Search for new physics in photon lepton events in proton antiproton collisions at $\sqrt{s} = 1.8$ -TeV, Phys. Rev. D **66**, 012004 (2002) [arXiv:hep-ex/0110015].
309. D. E. Acosta *et al.* [CDF Collaboration], Search for the decay $B_s \rightarrow \mu^+ \mu^- \phi$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV, Phys. Rev. D **65**, 111101 (2002).
310. D. E. Acosta *et al.* [CDF Collaboration], Search for single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV, Phys. Rev. D **65**, 091102 (2002) [arXiv:hep-ex/0110067].
311. D. E. Acosta *et al.* [CDF Collaboration], Soft and hard interactions in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ -GeV and 630-GeV, Phys. Rev. D **65**, 072005 (2002).
312. D. Acosta *et al.* [CDF Collaboration], Study of the heavy flavor content of jets produced in association with W bosons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **65**, 052007 (2002) [arXiv:hep-ex/0109012].
313. A. A. Affolder *et al.* [CDF Collaboration], Diffractive dijet production at $\sqrt{s} = 630$ GeV and 1800 GeV at the Fermilab Tevatron, Phys. Rev. Lett. **88**, 151802 (2002) [arXiv:hep-ex/0109025].
314. A. A. Affolder *et al.* [CDF Collaboration], Search for new heavy particles in the WZ^0 final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **88**, 071806 (2002) [arXiv:hep-ex/0108004].
315. A. A. Affolder *et al.* [CDF Collaboration], A study of $B^0 \rightarrow J/\psi K^{(*)0} \pi^+ \pi^-$ decays with the Collider Detector at Fermilab, Phys. Rev. Lett. **88**, 071801 (2002) [arXiv:hep-ex/0108022].

316. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the strong coupling constant from inclusive jet production at the Tevatron $p\bar{p}$ collider, Phys. Rev. Lett. **88**, 042001 (2002) [arXiv:hep-ex/0108034].
317. A. A. Affolder *et al.* [CDF Collaboration], Charged jet evolution and the underlying event in $p\bar{p}$ collisions at 1.8 TeV, Phys. Rev. D **65**, 092002 (2002).
318. A. A. Affolder *et al.* [CDF Collaboration], Search for quark lepton compositeness and a heavy W' boson using the $e\nu$ channel in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **87**, 231803 (2001) [arXiv:hep-ex/0107008].
319. A. A. Affolder *et al.* [CDF Collaboration], Charged particle multiplicity in jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **87**, 211804 (2001).
320. A. A. Affolder *et al.* [CDF Collaboration], Observation of diffractive J/ψ production at the Fermilab Tevatron, Phys. Rev. Lett. **87**, 241802 (2001) [arXiv:hep-ex/0107071].
321. A. A. Affolder *et al.* [CDF Collaboration], Search for gluinos and scalar quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV using the missing energy plus multijets signature, Phys. Rev. Lett. **88**, 041801 (2002) [arXiv:hep-ex/0106001].
322. A. A. Affolder *et al.* [CDF Collaboration], Cross section and heavy quark composition of $\gamma + \mu$ events produced in $p\bar{p}$ collisions, Phys. Rev. D **65**, 012003 (2002) [arXiv:hep-ex/0106004].
323. A. A. Affolder *et al.* [CDF Collaboration], Measurement of $d(\sigma)/dM$ and forward-backward charge asymmetry for high mass Drell-Yan e^+e^- pairs from $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **87**, 131802 (2001) [arXiv:hep-ex/0106047].
324. A. A. Affolder *et al.* [CDF Collaboration], Search for gluinos and squarks using like-sign dileptons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **87**, 251803 (2001) [arXiv:hep-ex/0106061].
325. A. A. Affolder *et al.* [CDF Collaboration], Searches for new physics in events with a photon and b-quark jet at CDF, Phys. Rev. D **65**, 052006 (2002) [arXiv:hep-ex/0106012].
326. A. A. Affolder *et al.* [CDF Collaboration], Search for narrow diphoton resonances and for $\gamma\gamma+W/Z$ signatures in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **64**, 092002 (2001) [arXiv:hep-ex/0105066].
327. A. A. Affolder *et al.* [CDF Collaboration], Double diffraction dissociation at the Fermilab Tevatron collider, Phys. Rev. Lett. **87**, 141802 (2001) [arXiv:hep-ex/0107070].
328. S. Akhmadalev *et al.* [ATLAS Collaboration], Hadron energy reconstruction for the ATLAS calorimetry in the framework of the non-parametrical method, Nucl. Instrum. Meth. A **480**, 508 (2002) [arXiv:hep-ex/0104002].
329. J. Pumplin *et al.*, Uncertainties of predictions from parton distribution functions. II: The Hessian method, Phys. Rev. D **65**, 014013 (2002) [arXiv:hep-ph/0101032].
330. D. Stump *et al.*, Uncertainties of predictions from parton distribution functions. I: The Lagrange multiplier method, Phys. Rev. D **65**, 014012 (2002) [arXiv:hep-ph/0101051].
331. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **64**, 032002 (2001) [Erratum-ibid. D **67**, 119901 (2003)] [arXiv:hep-ex/0101036].
332. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **64**, 032001 (2001) [Erratum-ibid. D **65**, 039903 (2002)] [arXiv:hep-ph/0102074].
333. A. A. Affolder *et al.* [CDF Collaboration], Production of χ_{c1} and χ_{c2} in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **86**, 3963 (2001).
334. P. Amaral *et al.* [ATLAS TileCal Collaboration], A Precise Measurement Of 180-GeV Muon Energy Losses In Iron, Eur. Phys. J. C **20**, 487 (2001).
335. J. Huston, Review Of Parton Distributions And Implications For The Tevatron And The Int. J. Mod. Phys. A **16S1A**, 205 (2001).

336. J. Huston [CDF Collaboration], A Comparison Of The Underlying Event In Jet And Minimum Bias Events, *Int. J. Mod. Phys. A* **16S1A**, 219 (2001).
337. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the two-jet differential cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ GeV, *Phys. Rev. D* **64**, 012001 (2001) [Erratum-ibid. *D* **65**, 039902 (2002)] [arXiv:hep-ex/0012013].
338. A. A. Affolder *et al.* [CDF Collaboration], First measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ and associated limit on the CKM element $|V_{tb}|$, *Phys. Rev. Lett.* **86**, 3233 (2001) [arXiv:hep-ex/0012029].
339. A. A. Affolder *et al.* [CDF Collaboration], Search for the supersymmetric partner of the top quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **63**, 091101 (2001) [arXiv:hep-ex/0011004].
340. A. A. Affolder *et al.* [CDF Collaboration], Search for neutral supersymmetric Higgs bosons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **86**, 4472 (2001) [arXiv:hep-ex/0010052].
341. A. A. Affolder *et al.* [CDF Collaboration], Test of enhanced leading order QCD in W boson plus jets events from 1.8 TeV $p\bar{p}$ collisions, *Phys. Rev. D* **63**, 072003 (2001).
342. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the decay amplitudes of $B^0 \rightarrow J/\psi K^{*0}$ and $B_s^0 \rightarrow J/\psi \phi$ decays, *Phys. Rev. Lett.* **85**, 4668 (2000) [arXiv:hep-ex/0007034].
343. L. Apanasevich *et al.*, Examination of direct photon and pion production in proton nucleon collisions, *Phys. Rev. D* **63**, 014009 (2001) [arXiv:hep-ph/0007191].
344. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the W boson mass with the Collider Detector at Fermilab, *Phys. Rev. D* **64**, 052001 (2001) [arXiv:hep-ex/0007044].
345. S. Akhmadalev *et al.* [ATLAS Collaboration], Results from a new combined test of an electromagnetic liquid argon calorimeter with a hadronic scintillating-tile calorimeter, *Nucl. Instrum. Meth. A* **449**, 461 (2000).
346. R. Brock, D. Casey, J. Huston, J. Kalk, J. Pumplin, D. Stump and W. K. Tung, Uncertainties of parton distribution functions and their implications on physical predictions, arXiv:hep-ph/0006148.
347. A. A. Affolder *et al.* [CDF Collaboration], Measurement of $d(\sigma)/dy$ for high mass Drell-Yan e^+e^- pairs from $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **63**, 011101 (2001) [arXiv:hep-ex/0006025].
348. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the top quark mass with the Collider Detector at Fermilab, *Phys. Rev. D* **63**, 032003 (2001) [arXiv:hep-ex/0006028].
349. A. A. Affolder *et al.* [CDF Collaboration], Dijet production by double pomeron exchange at the Fermilab Tevatron, *Phys. Rev. Lett.* **85**, 4215 (2000).
350. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the top quark p_T distribution, *Phys. Rev. Lett.* **87**, 102001 (2001).
351. A. A. Affolder *et al.* [CDF Collaboration], Search for second and third generation leptoquarks including production via technicolor interactions in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **85**, 2056 (2000) [arXiv:hep-ex/0004003].
352. L. Apanasevich *et al.* [E706 Collaboration], Inclusive production of omega mesons at large transverse momenta in pi- Be interactions at 515-GeV/c, arXiv:hep-ex/0004012.
353. A. A. Affolder *et al.* [CDF Collaboration], Direct measurement of the W boson width in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **85**, 3347 (2000) [arXiv:hep-ex/0004017].
354. A. A. Affolder *et al.* [CDF Collaboration], Measurement of J/ψ and $\psi(2S)$ polarization in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **85**, 2886 (2000) [arXiv:hep-ex/0004027].
355. A. A. Affolder *et al.* [CDF Collaboration], Search for new particles decaying to $t\bar{t}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **85**, 2062 (2000) [arXiv:hep-ex/0003005].
356. A. A. Affolder *et al.* [CDF Collaboration], Diffractive dijets with a leading antiproton in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ GeV, *Phys. Rev. Lett.* **84**, 5043 (2000).

357. A. A. Affolder *et al.* [CDF Collaboration], Limits on gravitino production and new processes with large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **85**, 1378 (2000) [arXiv:hep-ex/0003026].
358. C. Balazs, J. Huston and I. Puljak, Higgs production: A comparison of parton showers and resummation, Phys. Rev. D **63**, 014021 (2001) [arXiv:hep-ph/0002032].
359. A. A. Affolder *et al.* [CDF Collaboration], Search for the charged Higgs boson in the decays of top quark pairs in the $e\tau$ and $\mu\tau$ channels at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **62**, 012004 (2000) [arXiv:hep-ex/9912013].
360. S. Kuhlmann *et al.*, Large-x parton distributions, Phys. Lett. B **476**, 291 (2000) [arXiv:hep-ph/9912283].
361. A. A. Affolder *et al.* [CDF Collaboration], A measurement of the differential dijet mass cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **61**, 091101 (2000) [arXiv:hep-ex/9912022].
362. A. A. Affolder *et al.* [CDF Collaboration], Observation of orbitally excited B mesons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **64**, 072002 (2001).
363. A. A. Affolder *et al.* [CDF Collaboration], Search for scalar top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 5273 (2000) [arXiv:hep-ex/9912018].
364. A. Gribushin *et al.* [E672 Collaborations and E706 Collaboration], Production of J/ψ mesons in p Be collisions at 530-GeV/c and 800-GeV/c, Phys. Rev. D **62**, 012001 (2000) [arXiv:hep-ex/9910005].
365. A. A. Affolder *et al.* [CDF Collaboration], Production of $\Upsilon(1S)$ mesons from χ_b decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 2094 (2000) [arXiv:hep-ex/9910025].
366. A. A. Affolder *et al.* [CDF Collaboration], Search for scalar top and scalar bottom quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 5704 (2000) [arXiv:hep-ex/9910049].
367. A. A. Affolder *et al.* [CDF Collaboration], A measurement of $\sin(2\beta)$ from $B \rightarrow J/\psi K_S^0$ with the CDF Phys. Rev. D **61**, 072005 (2000) [arXiv:hep-ex/9909003].
368. A. A. Affolder *et al.* [CDF Collaboration], Measurement of b quark fragmentation fractions in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 1663 (2000) [arXiv:hep-ex/9909011].
369. A. A. Affolder *et al.* [CDF Collaboration], Search for a fourth-generation quark more massive than the Z^0 boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 835 (2000) [arXiv:hep-ex/9909027].
370. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the helicity of W bosons in top quark decays, Phys. Rev. Lett. **84**, 216 (2000) [arXiv:hep-ex/9909042].
371. F. Abe *et al.* [CDF Collaboration], Search for a W' boson via the decay mode $W' \rightarrow \mu\nu_\mu$ in 1.8 TeV $p\bar{p}$ collisions, Phys. Rev. Lett. **84**, 5716 (2000) [arXiv:hep-ex/9910004].
372. A. A. Affolder *et al.* [CDF Collaboration], Observation of diffractive beauty production at the Fermilab Tevatron, Phys. Rev. Lett. **84**, 232 (2000).
373. A. A. Affolder *et al.* [CDF Collaboration], The transverse momentum and total cross section of e^+e^- pairs in the Z boson region from $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 845 (2000) [arXiv:hep-ex/0001021].
374. A. A. Affolder *et al.* [CDF Collaboration], Measurement of the $B^0\bar{B}^0$ oscillation frequency using $\ell^- D^{*+}$ pairs and lepton flavor tags, Phys. Rev. D **60**, 112004 (1999) [arXiv:hep-ex/9907053].
375. A. A. Affolder *et al.* [CDF Collaboration], Search for the flavor-changing neutral current decays $B^+ \rightarrow \mu^+\mu^- K^+$ and $B^0 \rightarrow \mu^+\mu^- K^{*0}$, Phys. Rev. Lett. **83**, 3378 (1999) [arXiv:hep-ex/9905004].
376. A. A. Affolder *et al.* [CDF Collaboration],
Search for color singlet technicolor particles in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **84**, 1110 (2000).
377. P. Amaral *et al.* [ATLAS/Tilecal Collaboration], Hadronic shower development in iron scintillator tile calorimetry, Nucl. Instrum. Meth. A **443**, 51 (2000) [arXiv:hep-ex/9904032].

378. H. L. Lai *et al.* [CTEQ Collaboration], Global QCD analysis of parton structure of the nucleon: CTEQ5 parton distributions, *Eur. Phys. J. C* **12**, 375 (2000) [arXiv:hep-ph/9903282].
379. F. Abe *et al.* [CDF Collaboration], Measurement of $B^0\bar{B}^0$ flavor oscillations using jet-charge and lepton flavor tagging in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **60**, 072003 (1999) [arXiv:hep-ex/9903011].
380. R. K. Ellis *et al.* [QCD Tools Working Group], Report of the QCD tools working group, arXiv:hep-ph/0011122.
381. F. Abe *et al.* [CDF Collaboration], Measurement of the associated $\gamma + \mu^\pm$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **60**, 092003 (1999) [arXiv:hep-ex/9902001].
382. F. Abe *et al.* [The CDF Collaboration], Measurement of the $B_d^0\bar{B}_d^0$ oscillation frequency using dimuon data in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **60**, 051101 (1999).
383. F. Abe *et al.* [CDF Collaboration], Measurement of b quark fragmentation fractions in the production of strange and light B mesons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **60**, 092005 (1999).
384. E. Borch, J. Huston, S. Majewski, A. Penzo and P. G. Rancoita, Advanced technology and particle physics. Proceedings, 6th International *Nucl. Phys. B, Proc. Suppl.* **78** (1999) 764 *p*
385. F. Abe *et al.* [CDF Collaboration], Measurement of $b\bar{b}$ rapidity correlations in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **61**, 032001 (2000).
386. F. Abe *et al.* [CDF Collaboration], A search for $B_s^0\bar{B}_s^0$ oscillations using the semileptonic decay $B_s^0 \rightarrow \phi\ell^+X\nu$, *Phys. Rev. Lett.* **82**, 3576 (1999).
387. F. Abe *et al.* [CDF Collaboration], Search for the decays $B_d^0 \rightarrow \mu^+\mu^-$ and $B_s^0 \rightarrow \mu^+\mu^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **57**, 3811 (1998).
388. F. Abe *et al.* [CDF Collaboration], Search for third-generation leptoquarks from technicolor models in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **82**, 3206 (1999).
389. F. Abe *et al.* [CDF Collaboration], Search for R -parity violating supersymmetry using like-sign dielectrons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **83**, 2133 (1999) [arXiv:hep-ex/9908063].
390. F. Abe *et al.* [CDF Collaboration], Measurement of the top quark mass with the Collider Detector at Fermilab, *Phys. Rev. Lett.* **82**, 271 (1999) [Erratum-ibid. **82**, 2808 (1999)] [arXiv:hep-ex/9810029].
391. F. Abe *et al.* [CDF Collaboration], Search for a technicolor omegaT particle in events with a photon and a b quark jet at CDF, *Phys. Rev. Lett.* **83**, 3124 (1999) [arXiv:hep-ex/9810031].
392. F. Abe *et al.* [CDF Collaboration], Kinematics of $t\bar{t}$ events at CDF, *Phys. Rev. D* **59**, 092001 (1999).
393. F. Abe *et al.* [CDF Collaboration], Measurement of the lepton charge asymmetry in W boson decays produced in $p\bar{p}$ collisions, *Phys. Rev. Lett.* **81**, 5754 (1998) [arXiv:hep-ex/9809001].
394. F. Abe *et al.* [CDF Collaboration], Search for new particles decaying to $b\bar{b}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **82**, 2038 (1999) [arXiv:hep-ex/9809022].
395. F. Abe *et al.* [CDF Collaboration], Measurement of Z^0 and Drell-Yan production cross section using dimuons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **59**, 052002 (1999).
396. F. Abe *et al.* [CDF Collaboration], Measurement of the B_s^0 meson lifetime using semileptonic decays, *Phys. Rev. D* **59**, 032004 (1999) [arXiv:hep-ex/9808003].
397. F. Abe *et al.* [CDF Collaboration], Search for Higgs bosons produced in association with a vector boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **81**, 5748 (1998).
398. L. Apanasevich *et al.*, k_T effects in direct photon production, *Phys. Rev. D* **59**, 074007 (1999) [arXiv:hep-ph/9808467].
399. F. Abe *et al.* [CDF Collaboration], Search for the decays $B_s^0, B_d^0 \rightarrow e^\pm\mu^\pm$ and Pati-Salam leptoquarks, *Phys. Rev. Lett.* **81**, 5742 (1998).

400. F. Abe *et al.* [CDF Collaboration], Events with a rapidity gap between jets in $\bar{p}p$ collisions at $\sqrt{s} = 630$ GeV, Phys. Rev. Lett. **81**, 5278 (1998).
401. F. Abe *et al.* [CDF Collaboration], Search for second generation leptoquarks in the dimuon plus dijet channel of $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **81**, 4806 (1998) [arXiv:hep-ex/9810024].
402. F. Abe *et al.* [CDF Collaboration], Improved measurement of the B^- and \bar{B}^0 meson lifetimes Phys. Rev. D **58**, 092002 (1998) [arXiv:hep-ex/9806018].
403. F. Abe *et al.* [CDF Collaboration], Measurement of the CP-violation parameter $\sin(2\beta)$ in $B_d^0/\bar{B}_d^0 \rightarrow J/\psi K_S^0$ decays, Phys. Rev. Lett. **81**, 5513 (1998) [arXiv:hep-ex/9806025].
404. F. Abe *et al.* [CDF Collaboration], Measurement of the $B_d^0 - \bar{B}_d^0$ flavor oscillation frequency and study of same side flavor tagging of B mesons in $p\bar{p}$ collisions, Phys. Rev. D **59**, 032001 (1999) [arXiv:hep-ex/9806026].
405. F. Abe *et al.* [CDF Collaboration], Searches for new physics in diphoton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **59**, 092002 (1999) [arXiv:hep-ex/9806034].
406. F. Abe *et al.* [The CDF Collaboration], Search for long-lived parents of Z^0 bosons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **58**, 051102 (1998) [arXiv:hep-ex/9805017].
407. F. Abe *et al.* [CDF Collaboration], Observation of the B_c meson in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **81**, 2432 (1998) [arXiv:hep-ex/9805034].
408. F. Abe *et al.* [CDF Collaboration], Search for the rare decay $W^\pm \rightarrow D_s^{+-}\gamma$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **58**, 091101 (1998).
409. F. Abe *et al.* [CDF Collaboration], Observation of B_c mesons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **58**, 112004 (1998) [arXiv:hep-ex/9804014].
410. F. Abe *et al.* [CDF Collaborations], Measurement of the $\sigma(W + \geq 1\text{jet})/\sigma(W)$ cross section ratio from $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **81**, 1367 (1998).
411. F. Abe *et al.* [CDF collaboration], Search for chargino neutralino associated production at the Fermilab Tevatron Collider, Phys. Rev. Lett. **80**, 5275 (1998) [arXiv:hep-ex/9803015].
412. F. Abe *et al.* [CDF Collaboration], Observation of $B^+ \rightarrow \psi(2S)K^+$ and $B^0 \rightarrow \psi(2S)K^{*0}$ (892) decays and measurements of B meson branching fractions into J/ψ and Phys. Rev. D **58**, 072001 (1998) [arXiv:hep-ex/9803013].
413. F. Abe *et al.* [CDF Collaboration], Search for the rare decay $W^\pm \rightarrow \pi^\pm + \gamma$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **58**, 031101 (1998).
414. F. Abe *et al.* [CDF Collaboration], Searches for new physics in diphoton events in $p\bar{p}$ collisions at Phys. Rev. Lett. **81**, 1791 (1998) [arXiv:hep-ex/9801019].
415. J. Huston, S. Kuhlmann, H. L. Lai, F. I. Olness, J. F. Owens, D. E. Soper and W. K. Tung, Study of the uncertainty of the gluon distribution, Phys. Rev. D **58**, 114034 (1998) [arXiv:hep-ph/9801444].
416. E. Borchini, S. Majewski, J. Huston, A. Penzo and P. G. Rancoita, Advanced technology and particle physics. Proceedings, 5th International Prepared for 5th International Conference on Advanced Technology and Particle Physics (COMO 96), Como, Italy, 7-11 Oct 1996
417. F. Abe *et al.* [CDF Collaboration], Observation of hadronic W decays in $t\bar{t}$ events with the Collider Detector at Fermilab, Phys. Rev. Lett. **80**, 5720 (1998) [arXiv:hep-ex/9711004].
418. L. Apanasevich *et al.* [Fermilab E706 Collaboration], Evidence for parton k_T effects in high- p_T particle production, Phys. Rev. Lett. **81**, 2642 (1998) [arXiv:hep-ex/9711017].
419. F. Abe *et al.* [CDF Collaboration], Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **80**, 2773 (1998) [arXiv:hep-ex/9710008].
420. F. Abe *et al.* [CDF Collaboration], Measurement of the top quark mass, Phys. Rev. Lett. **80**, 2767 (1998) [arXiv:hep-ex/9801014].

421. F. Abe *et al.* [CDF Collaboration], Measurement of B hadron lifetimes using J/ψ final states at CDF, Phys. Rev. D **57**, 5382 (1998).
422. S. Agnvall *et al.* [ATLAS Collaboration], Evaluation of FERMI read-out of the ATLAS tilecal prototype, Nucl. Instrum. Meth. A **403**, 98 (1998).
423. F. Abe *et al.* [CDF Collaboration], Measurement of the $B^0\bar{B}^0$ oscillation frequency using πB meson charge-flavor correlations in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **80**, 2057 (1998) [arXiv:hep-ex/9712004].
424. F. Abe *et al.* [CDF Collaboration], Measurement of the top quark mass and $t\bar{t}$ production cross section from dilepton events at the Collider Detector at Fermilab, Phys. Rev. Lett. **80**, 2779 (1998) [arXiv:hep-ex/9802017].
425. F. Abe *et al.* [CDF Collaboration], Search for first generation leptoquark pair production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 4327 (1997) [arXiv:hep-ex/9708017].
426. F. Abe *et al.* [CDF Collaboration], Dijet production by color-singlet exchange at the Fermilab Tevatron, Phys. Rev. Lett. **80**, 1156 (1998).
427. F. Abe *et al.* [CDF Collaboration], Measurement of the differential cross section for events with large total transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **80**, 3461 (1998).
428. F. Abe *et al.* [CDF Collaboration], Properties of jets in W boson events from 1.8 TeV $\bar{p}p$ collisions, Phys. Rev. Lett. **79**, 4760 (1997) [arXiv:hep-ex/9709016].
429. F. Abe *et al.* [CDF Collaboration], Jet pseudorapidity distribution in direct photon events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **57**, 1359 (1998).
430. F. Abe *et al.* [CDF Collaboration], Search for new particles decaying into $b\bar{b}$ and produced in association with W bosons decaying into $e\nu$ or $\mu\nu$ at the Tevatron, Phys. Rev. Lett. **79**, 3819 (1997).
431. F. Abe *et al.* [CDF Collaboration], Search for flavor-changing neutral current decays of the top quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **80**, 2525 (1998).
432. F. Abe *et al.* [CDF Collaboration], Search for new gauge bosons decaying into dileptons in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 2192 (1997).
433. F. Abe *et al.* [CDF Collaboration], Limits on quark-lepton compositeness scales from dileptons produced in 1.8 TeV $p\bar{p}$ collisions, Phys. Rev. Lett. **79**, 2198 (1997).
434. F. Abe *et al.* [CDF Collaboration], Search for charged Higgs decays of the top quark using hadronic decays of the tau lepton, Phys. Rev. Lett. **79**, 357 (1997) [arXiv:hep-ex/9704003].
435. F. Abe *et al.* [CDF Collaboration], Measurement of double parton scattering in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 584 (1997).
436. F. Abe *et al.* [CDF Collaboration], The mu tau and e tau decays of top quark pairs produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 3585 (1997) [arXiv:hep-ex/9704007].
437. F. Abe *et al.* [CDF Collaboration], Double parton scattering in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **56**, 3811 (1997).
438. F. Abe *et al.* [CDF Collaboration], Properties of six-jet events with large six-jet mass at the Fermilab $p\bar{p}$ collider, Phys. Rev. D **56**, 2532 (1997).
439. F. Abe *et al.* [CDF Collaboration], Properties of photon plus two-jet events in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **57**, 67 (1998).
440. F. Abe *et al.* [CDF Collaboration], Measurement of diffractive dijet production at the Tevatron, Phys. Rev. Lett. **79**, 2636 (1997).
441. F. Abe *et al.* [CDF Collaboration], First observation of the all hadronic decay of $t\bar{t}$ pairs, Phys. Rev. Lett. **79**, 1992 (1997).

442. L. Apanasevich *et al.* [E706 Collaboration], Calibration and performance of the E706 lead and liquid-argon electromagnetic calorimeter, Nucl. Instrum. Meth. A **417**, 50 (1998).
443. F. Abe *et al.* [CDF Collaboration], Search for new particles decaying to dijets at CDF, Phys. Rev. D **55**, 5263 (1997) [arXiv:hep-ex/9702004].
444. F. Abe *et al.* [CDF Collaboration], J/ψ and $\psi(2S)$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 572 (1997).
445. F. Abe *et al.* [CDF Collaboration], Search for gluinos and squarks at the Fermilab Tevatron collider, Phys. Rev. D **56**, 1357 (1997).
446. F. Abe *et al.* [CDF Collaboration], Production of J/ψ mesons from χ_c meson decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 578 (1997).
447. L. Apanasevich *et al.* [Fermilab E706 Collaboration], Production of charm mesons at high transverse momentum in 515-GeV/c pi- nucleon collisions, Phys. Rev. D **56**, 1391 (1997) [arXiv:hep-ex/9702014].
448. F. Abe *et al.* [CDF Collaboration], Observation of diffractive W boson production at the Tevatron, Phys. Rev. Lett. **78**, 2698 (1997) [arXiv:hep-ex/9703010].
449. F. Abe *et al.* [CDF Collaboration], Search for third generation leptoquarks in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **78**, 2906 (1997).
450. Z. Ajaltouni *et al.*, Response of the ATLAS tile calorimeter prototype to muons, Nucl. Instrum. Meth. A **388**, 64 (1997).
451. A. Airapetian *et al.* [ATLAS Collaboration], ATLAS computing technical proposal,
452. Z. Ajaltouni *et al.* [ATLAS Collaboration], Results from a combined test of an electromagnetic liquid argon calorimeter with a hadronic scintillating-tile calorimeter, Nucl. Instrum. Meth. A **387**, 333 (1997).
453. F. Abe *et al.* [CDF Collaboration], Measurement of the branching fraction $B(B_u^+ \rightarrow J/\psi\pi^+)$ and search for $B_c^+ \rightarrow J/\psi\pi^+$, Phys. Rev. Lett. **77**, 5176 (1996).
454. F. Abe *et al.* [CDF Collaboration], Observation of W^+W^- production in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **78**, 4536 (1997).
455. F. Abe *et al.* [CDF Collaboration], Measurement of dijet angular distributions at CDF, Phys. Rev. Lett. **77**, 5336 (1996) [Erratum-ibid. **78**, 4307 (1997)] [arXiv:hep-ex/9609011].
456. F. Abe *et al.* [CDF Collaboration], Measurement of $b\bar{b}$ production correlations, $B^0\bar{B}^0$ mixing, and a limit on epsilon(B) in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **55**, 2546 (1997).
457. F. Abe *et al.* [CDF Collaboration], Observation of $\Lambda_b^0 \rightarrow J/\psi\Lambda$ at the Fermilab proton antiproton collider, Phys. Rev. D **55**, 1142 (1997).
458. E. L. Berger *et al.* [RD34 Collaboration], A measurement of the energy loss spectrum of 150-GeV muons in iron, Z. Phys. C **73**, 455 (1997).
459. F. Abe *et al.* [CDF Collaboration], Ratios of bottom meson branching fractions involving J/ψ mesons and determination of b quark fragmentation fractions, Phys. Rev. D **54**, 6596 (1996) [arXiv:hep-ex/9607003].
460. H. L. Lai *et al.*, Improved parton distributions from global analysis of recent deep inelastic scattering and inclusive jet data, Phys. Rev. D **55**, 1280 (1997) [arXiv:hep-ph/9606399].
461. F. Abe *et al.* [CDF Collaboration], Measurement of the $\gamma + D^{*\pm}$ cross section in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **77**, 5005 (1996).
462. F. Abe *et al.* [CDF Collaboration], Measurement of the lifetime of the B_s^0 meson using the exclusive decay mode $B_s^0 \rightarrow J/\psi\phi$, Phys. Rev. Lett. **77**, 1945 (1996).
463. F. Abe *et al.* [CDF Collaboration], Further Properties of High-Mass Multijet Events at the Fermilab Proton-Antiproton Collider, Phys. Rev. D **54**, 4221 (1996) [arXiv:hep-ex/9605004].

464. V. Koreshev *et al.* [E672-E706 Collaborations], Production of charmonium states in pi- Be collisions at 515-GeV/c, Phys. Rev. Lett. **77**, 4294 (1996).
465. F. Abe *et al.* [CDF Collaboration], Measurement of Λ_b^0 lifetime using $\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}$, Phys. Rev. Lett. **77**, 1439 (1996).
466. F. Abe *et al.* [CDF Collaboration], Properties of jets in Z boson events from 1.8 TeV $p\bar{p}$ collisions, Phys. Rev. Lett. **77**, 448 (1996) [arXiv:hep-ex/9603003].
467. F. Abe *et al.* [CDF Collaboration], Forward-backward charge asymmetry of electron pairs above the Z^0 pole, Phys. Rev. Lett. **77**, 2616 (1996).
468. F. Abe *et al.* [CDF Collaboration], Measurement of the B^- and \bar{B}^0 meson lifetimes using semileptonic decays, Phys. Rev. Lett. **76**, 4462 (1996).
469. F. Abe *et al.* [CDF Collaboration], Search for flavor changing neutral current B meson decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **76**, 4675 (1996).
470. F. Abe *et al.* [CDF Collaboration], Inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **77**, 438 (1996) [arXiv:hep-ex/9601008].
471. F. Abe *et al.* [CDF Collaboration], Search for chargino - neutralino production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **76**, 4307 (1996) [arXiv:hep-ex/9603001].
472. F. Abe *et al.* [CDF Collaboration], Search for gluino and squark cascade decays at the Fermilab Tevatron Collider, Phys. Rev. Lett. **76**, 2006 (1996).
473. F. Abe *et al.* [CDF Collaboration], Search for charged Higgs decays of the top quark using hadronic tau decays, Phys. Rev. D **54**, 735 (1996) [arXiv:hep-ex/9601003].
474. J. Huston, E. Kovacs, S. Kuhlmann, H. L. Lai, J. F. Owens, D. E. Soper and W. K. Tung, Large Transverse Momentum Jet Production and the Gluon Distribution Inside the Proton, Phys. Rev. Lett. **77**, 444 (1996) [arXiv:hep-ph/9511386].
475. F. Abe *et al.* [CDF Collaboration], Reconstruction of $B^0 \rightarrow J/\psi K_s^0$ and measurement of ratios of branching ratios involving $B \rightarrow J/\psi K^*$, Phys. Rev. Lett. **76**, 2015 (1996).
476. F. Abe *et al.* [CDF Collaboration], Search for the rare decay $W^\pm \rightarrow \pi^\pm + \gamma$, Phys. Rev. Lett. **76**, 2852 (1996).
477. F. Abe *et al.* [CDF Collaboration], Measurement of $\sigma \cdot B(W \rightarrow e\nu)$ and $\sigma \cdot B(Z^0 \rightarrow e^+e^-)$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **76**, 3070 (1996) [arXiv:hep-ex/9509010].
478. F. Abe *et al.* [CDF Collaboration],
Measurement of the mass of the B_s^0 meson, Phys. Rev. D **53**, 3496 (1996).
479. A. Gribushin *et al.* [E672 and E706 Collaborations], Production of J / psi and psi (2S) mesons in pi- Be collisions at 515-GeV/c, Phys. Rev. D **53**, 4723 (1996).
480. F. Abe *et al.* [CDF Collaboration], Measurement of the polarization in the decays $B_d \rightarrow J/\psi K^{*0}$ and $B_s \rightarrow J/\psi \phi$, Phys. Rev. Lett. **75**, 3068 (1995).
481. F. Abe *et al.* [CDF Collaboration], Υ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **75**, 4358 (1995).
482. F. Abe *et al.* [CDF Collaboration], Measurement of correlated $\mu - \bar{b}$ jet cross-sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **53**, 1051 (1996) [arXiv:hep-ex/9508017].
483. F. Abe *et al.* [CDF Collaboration], Study of $t\bar{t}$ production $p\bar{p}$ collisions using total transverse energy, Phys. Rev. Lett. **75**, 3997 (1995) [arXiv:hep-ex/9506006].
484. F. Abe *et al.* [CDF Collaboration], Identification of top quarks at CDF using kinematic variables, Phys. Rev. D **52**, 2605 (1995).

485. F. Abe *et al.* [CDF Collaboration], Observation of top quark production in $\bar{p}p$ collisions, Phys. Rev. Lett. **74**, 2626 (1995) [arXiv:hep-ex/9503002].
486. F. Abe *et al.* [CDF Collaboration], Limits on WWZ and $WW\gamma$ couplings from WW and WZ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **75**, 1017 (1995) [arXiv:hep-ex/9503009].
487. F. Abe *et al.* [CDF Collaboration], Measurement of the W boson mass, Phys. Rev. D **52**, 4784 (1995).
488. F. Abe *et al.* [CDF Collaboration], Measurement of the W boson mass, Phys. Rev. Lett. **75**, 11 (1995) [arXiv:hep-ex/9503007].
489. F. Abe *et al.* [CDF Collaboration], Properties of high mass multi - jet events at the Fermilab $p\bar{p}$ collider, Phys. Rev. Lett. **75**, 608 (1995).
490. F. Abe *et al.* [CDF Collaboration], Measurement of the B meson differential cross-section, $d\sigma/dp_T$, in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **75**, 1451 (1995) [arXiv:hep-ex/9503013].
491. F. Abe *et al.* [CDF Collaboration], A Search for second generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **75**, 1012 (1995).
492. F. Abe *et al.* [CDF Collaboration], A Measurement of the ratio $\sigma \times B(p\bar{p} \rightarrow W \rightarrow e\nu)/\sigma \times B(p\bar{p} \rightarrow Z^0 \rightarrow ee)$ in $p\bar{p}$ collisions at Phys. Rev. D **52**, 2624 (1995).
493. F. Abe *et al.* [CDF Collaboration], Search for new particles decaying to dijets in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **74**, 3538 (1995) [arXiv:hep-ex/9501001].
494. F. Abe *et al.* [CDF Collaboration], Measurement of the B_s meson lifetime, Phys. Rev. Lett. **74**, 4988 (1995) [arXiv:hep-ex/9412017].
495. J. Huston, E. Kovacs, S. Kuhlmann, H. L. Lai, J. F. Owens and W. K. Tung, A Global QCD Study Of Direct Photon Production, Phys. Rev. D **51**, 6139 (1995) [arXiv:hep-ph/9501230].
496. P. de Barbaro *et al.*, CDF end plug hadron calorimeter upgrade: Design, production and quality control results, IEEE Trans. Nucl. Sci. **42**, 510 (1995).
497. E. Borchini, S. Majewski, J. Huston, A. Penzo and P. G. Rancoita, Advanced Technology And Particle Physics. Proceedings, 4th International *Amsterdam, Netherlands: North-Holland (1995) 756 p. (Nucl. Phys. B, Proc. Suppl. 44 (1995))*
498. F. Abe *et al.* [CDF Collaboration], Kinematic evidence for top quark pair production in $W +$ multi - jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **51**, 4623 (1995) [arXiv:hep-ex/9412009].
499. F. Abe *et al.* [CDF Collaboration], Search for the top quark decaying to a charged Higgs boson in $p\bar{p}$ Phys. Rev. Lett. **73**, 2667 (1994).
500. H. L. Lai *et al.*, Global QCD Analysis And The Cteq Parton Distributions, Phys. Rev. D **51**, 4763 (1995) [arXiv:hep-ph/9410404].
501. F. Abe *et al.* [CDF Collaboration], A Direct measurement of the W boson width, Phys. Rev. Lett. **74**, 341 (1995).
502. F. Abe *et al.* [CDF Collaboration], The Charge asymmetry in W boson decays produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **74**, 850 (1995) [arXiv:hep-ex/9501008].
503. F. Abe *et al.* [CDF Collaboration], Limits on Z -photon couplings from $p\bar{p}$ interactions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **74**, 1941 (1995).
504. F. Abe *et al.* [CDF Collaboration], Measurement of $W - \gamma$ couplings with CDF in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **74**, 1936 (1995).
505. F. Abe *et al.* [CDF Collaboration], Search for charged bosons heavier than the W in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. Lett. **74**, 2900 (1995).
506. F. Abe *et al.* [CDF Collaboration], Search for new gauge bosons decaying into dielectrons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **51**, 949 (1995).

507. F. Abe *et al.* [CDF Collaboration], A Precision measurement of the prompt photon cross-section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **73**, 2662 (1994) [Erratum-ibid. **74**, 1891 (1995)].
508. F. Abe *et al.* [CDF Collaboration], Evidence for top quark production in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **73**, 225 (1994) [arXiv:hep-ex/9405005].
509. J. C. Collins, J. Huston, J. Pumplin, H. Weerts and J. J. Whitmore, Measuring Parton Densities In The Pomeron, Phys. Rev. D **51**, 3182 (1995) [arXiv:hep-ph/9406255].
510. F. Abe *et al.* [CDF Collaboration], W boson + jet angular distribution in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **73**, 2296 (1994).
511. F. Abe *et al.* [CDF Collaboration], Evidence for top quark production in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **50**, 2966 (1994).
512. R. Jesik *et al.* [E672/E706 Collaboration], Bottom Production In Pi- - Be Collisions At 515-GeV/C, Phys. Rev. Lett. **74**, 495 (1995).
513. F. Abe *et al.* [CDF Collaboration], Measurement of the ratio $\sigma B(W \rightarrow e\nu)/\sigma B(Z^0 \rightarrow e^+P)$ Phys. Rev. Lett. **73**, 220(1994). *F. Abe* and B^0 meson lifetimes, Phys. Rev. Lett. **72**, 3456 (1994).
514. F. Abe *et al.* [CDF Collaboration], Search for excited quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **72**, 3004 (1994).
516. G. Alverson *et al.* [E706 Collaboration], Structure of the recoiling system in direct photon and π^0 production by pi- and p beams at 500-GeV/c, Phys. Rev. D **49**, 3106 (1994).
517. F. Abe *et al.* [CDF Collaboration],
Observation of the decay $B_s^0 \rightarrow J/\psi\phi$ in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **71**, 1685 (1993).
518. F. Abe *et al.* [CDF Collaboration], Search for quark compositeness, axiguons and heavy particles using the dijet invariant mass spectrum observed in $p\bar{p}$ collisions, Phys. Rev. Lett. **71**, 2542 (1993).
519. R. Brock *et al.* [CTEQ Collaboration], Handbook of perturbative QCD: Version 1.0, Rev. Mod. Phys. **67**, 157 (1995).
520. A. Beretvas *et al.* [SDC Collaboration], Beam Tests Of Composite Calorimeter Configurations From Reconfigurable Stack Calorimeter, Nucl. Instrum. Meth. A **329**, 50 (1993).
521. G. Alverson *et al.* [FERMILAB-E706 Collaboration], Production of direct photons and neutral mesons at large transverse momenta by pi- and p beams at 500-GeV/c, Phys. Rev. D **48**, 5 (1993).
522. G. Alverson *et al.*, Direct Photon Production At High P-Transverse In Pi- Be And P Be Collisions At 500-GeV/C, Phys. Rev. Lett. **68**, 2584 (1992).
523. G. Alverson *et al.*, Production Of π^0 Mesons At High P-Transverse In Pi- Be And P Be Collisions At 500-GeV/C, Phys. Rev. D **45**, 3899 (1992).
524. C. Bromberg *et al.* [E706 Collaboration], Design and operation of large straw tube drift chamber planes, Nucl. Instrum. Meth. A **307**, 292 (1991).
525. V. Abramov *et al.* [E672/706 Collaboration], Properties of J / psi production in pi- Be and p Be collisions at 530-GeV/c,
526. J. Urbin *et al.*, Cryogenic design and operation of a liquid argon photon / hadron calorimeter at Fermilab. FNAL E-706 experiment, Adv. Cryog. Eng. **35B**, 1803 (1990).
527. E. Engels *et al.*, Performance characteristics and radiation damage results from the Fermilab E706 silicon microstrip detector system, Nucl. Instrum. Meth. A **279**, 272 (1989).
528. V. Barnes *et al.*, COMPOSITENESS AND QCD AT THE SSC,
529. E. Engels *et al.*, A SILICON MICROSTRIP VERTEX DETECTOR FOR DIRECT PHOTON PHYSICS, Nucl. Instrum. Meth. A **253**, 523 (1987).

530. J. Huston *et al.*, MEASUREMENT OF THE RESONANCE PARAMETERS AND RADIATIVE WIDTH OF THE ρ^+ , Phys. Rev. D **33**, 3199 (1986).
531. M. Zielinski *et al.*, EXPERIMENTAL CONSTRAINTS ON $J(PC) = 1^-, I = 1$, HYBRID MESONS, Z. Phys. C **31**, 545 (1986).
532. B. Collick *et al.*, Primakoff Production Of The B^+ (1235) Meson, Phys. Rev. Lett. **53**, 2374 (1984).
533. F. Lobkowicz *et al.*, A Large Liquid Argon Photon / Hadron Calorimeter For Fnal, Nucl. Instrum. Meth. A **235**, 332 (1985).
534. M. Zielinski *et al.*, Production Of Low Mass K^+ Omega Systems On Nuclei, Phys. Rev. D **30**, 1107 (1984).
535. M. Zielinski *et al.*, Partial Wave Analysis Of Coherent 3 Pi Production On Nuclei At 200-GeV, Phys. Rev. D **30**, 1855 (1984).
536. M. Zielinski *et al.*, Evidence For The Electromagnetic Production Of The A_1 , Phys. Rev. Lett. **52**, 1195 (1984).
537. M. Zielinski *et al.*, Elastic π^+ Compton Scattering, Phys. Rev. D **29**, 2633 (1984).
538. R. V. Kowalewski *et al.*, Elastic Pion Compton Scattering, Phys. Rev. D **29**, 1000 (1984).
539. M. McLaughlin *et al.*, Inclusive Production Of Direct Photons In 200-GeV/C Collisions, Phys. Rev. Lett. **51**, 971 (1983).
540. J. Povlis *et al.*, Nuclear Enhancement Of π^0 And Eta Mesons Produced At Large Transverse Momenta, Phys. Rev. Lett. **51**, 967 (1983).
541. C. Chandlee *et al.*, Calibration And Performance Of A Drift Chamber Spectrometer, Nucl. Instrum. Meth. **215**, 369 (1983).
542. C. Chandlee *et al.*, Radiative Width Of The K^{*+} (890), Phys. Rev. Lett. **51**, 168 (1983).
543. M. Zielinski *et al.*, Three Pion Production On Nuclei At 200-GeV, Z. Phys. C **16**, 197 (1983).
544. T. Jensen *et al.*, Radiative Decay Width Of The ρ^- Meson, Phys. Rev. D **27**, 26 (1983).
545. C. Nelson *et al.*, Operational Performance Of A Large Liquid Argon Photon Calorimeter, Nucl. Instrum. Meth. **216**, 381 (1983).
546. S. Cihangir *et al.* [FERMILAB-MINNESOTA-ROCHESTER COLLABORATION Collaboration], Radiative Width Of The A_2 (1310), Phys. Lett. B **117**, 119 (1982).
547. S. Cihangir *et al.* [FERMILAB-MINNESOTA-ROCHESTER COLLABORATION Collaboration], Radiative Width Of The K^{*+} (1430), Phys. Lett. B **117**, 123 (1982).
548. A. Jonckheere *et al.*, Enhanced 200-GeV/c K^+ Beam Using Beryllium Filter, Nucl. Instrum. Meth. **180**, 25 (1981).
549. D. Berg *et al.*, Radiative Decay Of The K^{*-} (890), Phys. Lett. B **98**, 119 (1981).